

"CERTIFICATE NO.

64503

Application No.

57842

Permit No.

43805

STATE OF OREGON WATER RESOURCES DEPARTMENT
Application for Permit to Appropriate Surface Water AUG 24 1978

RECEIVED
WATER RESOURCES DEPT
SALEM, OREGON

I, Caroline C. Estes of Alpha Farm
(Name of Applicant)
of Alpha Farm Deadwood
(Mailing Address) (City)

State of Oregon , Tp 30 Phone No. (503) 964-3552 do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Deadwood Creek
, a tributary of Lake Creek

2. The point of diversion is to be located ft. and ft.
(N. or S.) (E. or W.)

from the corner of
(Public Land Survey Corner)

SEE ATTACHED SHEET FOR DESCRIPTIONS OF POINTS OF DIVERSION.
(If there is more than one point of diversion, each must be described)

Sec. Tp. R. , W.M., in the county of Lane
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 of Section	List use and/or number of acres to be irrigated
stem A 16S	8 WWM	19	NW $\frac{1}{4}$ of NE $\frac{1}{4}$	Irrigation 6 acres
			SW $\frac{1}{4}$ of NE $\frac{1}{4}$	Irrigation 4 acres
stem B* 16S	8 WWM	19	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	Irrigation 8 $\frac{1}{2}$ acres
			SE $\frac{1}{4}$ of NE $\frac{1}{4}$	Irrigation 8 acres
			SW $\frac{1}{4}$ of NE $\frac{1}{4}$	IRRIGATION 3 acres
stem C 16S	8 WWM	19	NE $\frac{1}{4}$ of SW $\frac{1}{4}$	Irrigation 5 $\frac{1}{2}$ acres
			SE $\frac{1}{4}$ of SW $\frac{1}{4}$	Irrigation 9 $\frac{1}{2}$ acres
			NW $\frac{1}{4}$ of SE $\frac{1}{4}$	Irrigation 8 acres

Form 630-1-01-77

*In addition to 10 acres currently covered under permit #36767

4. The amount of water which the applicant intends to apply to beneficial use is 0.644
cubic feet per second. Source A - .130 cfs Source B - .215 cfs (in addition to that
already being used) Source C - .299 cfs
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is irrigation, in all cases.

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

System A - Centrifugal pump with 3 hp electric motor of 60 gpm capacity feeding to
740' of 3" line with rainbirds

System B - Centrifugal pump with 5 hp electric motor and 150 gpm capacity feeding
to 540' of 4" mainline and 1020' of 3" lateral line with rainbirds

System C - Not yet purchased. Will probably be centrifugal pump with 7½ hp electric
motor and 150 gpm capacity or greater feeding 4" mainline and 3" lateral
line with rainbirds

If for domestic use state number of families to be supplied ... Not applicable

7. Construction work will begin on or before Sys. A--8/1/79; Sys. B--Completed; Sys. C--8/1/79

8. Construction work will be completed on or before Sys. A - 8/1/80; Sys. B - Completed; Sys. C -

8/1/80

9. The water will be completely applied to the proposed use on or before 8/1/81, in all cases

Application No. 57842

Permit No. 43805

ATTACHMENT

RECEIVED

APPLICATION FOR PERMIT TO APPROPRIATE SURFACE WATER

AUG24 1978

WATER RESOURCES DEPT.
SALEM, OREGON

2. POINTS OF DIVERSION:

System A - Point of Diversion is to be located 180 feet N and 578 feet E from the SW corner of NW $\frac{1}{4}$ of NE $\frac{1}{4}$ being within the NW $\frac{1}{4}$ of the NE $\frac{1}{4}$ Sec. 19 Tp. 16S R.8W, W.M., in the county of Lane

System B - This diversion point is already covered under permit #36767. In this application, we are requesting that additional acreage be added to that already allowed from this diversion point. Point of Diversion is located 740' S and 660' E from NW corner of SW $\frac{1}{4}$ of NE $\frac{1}{4}$ being within SW $\frac{1}{4}$ of NE $\frac{1}{4}$ Sec. 19 Tp. 16S R. 8w, W.M., in the county of Lane.

System C - Point of Diversion is to be located 578 feet E and 20 feet N from the SW corner of the NE $\frac{1}{4}$ of the SW $\frac{1}{4}$ being within the NE $\frac{1}{4}$ of SW $\frac{1}{4}$ Sec. 19 Tp. 16S R. 8W, W.M., in the county of Lane.


Application No. 57842
43805
Permit No.

RECEIVED

NOV30 1978

WATER RESOURCES DEPT.
SALEM, OREGON

Remarks.....



Signature of Applicant

Caroline C. Estes for Alpha Farm

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....correction..and..completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or beforeDecember 5,....., 19.....78.....

WITNESS my hand this ..5th..... day of.....October....., 19.....78.....

James E. Sexson, Water Resources Director

By ..
Donald R. Buell

RECEIVED
NOV 3 0 1978
WATER RESOURCES DEPT.
SALEM, OREGON

130
115
297
6

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
24th day of August, 1978, at 8:00 o'clock
A.M.

Application No.....

57842

Permit No.....

43805

Application No.....

57842

Permit No.....

43805

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.65 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Deadwood Creek.

The use to which this water is to be applied is....irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated...and..shall..be..further..limited..to..a..diversion..of..not.... to exceed 2½ acre feet per acre for each acre irrigated during the irrigation sea- son of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 24, 1978.....

Actual construction work shall begin on or before January 10, 1980..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980.....

Complete application of the water to the proposed use shall be made on or before October 1, 1981.....

WITNESS my hand this 10th..... day of.....January....., 1979.....

James E. Seaman
Water Resources Director