



4. The amount of water which the applicant intends to apply to beneficial use is ..... 0.05 .....

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Domestic including home and garden 0.01 .....

stock 0.04 .....

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

1 1/2" steel .....

3/4" Steel .....

Concrete res. ....

If for domestic use state number of families to be supplied ..... two .....

7. Construction work will begin on or before ..... completed .....

8. Construction work will be completed on or before ..... completed .....

9. The water will be completely applied to the proposed use on or before ..... completed .....

Application No. 38196 .....

Permit No. ....

43827 RECEIVED

Remarks: .....

THIS APPLICATION PREPARED BY:

*[Handwritten signature]*

FROM INFORMATION FURNISHED BY THE APPLICANT.

*Margaret E. Pentecost*

Signature of Applicant

*M. D. Pentecost*

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

Water Resources Director

By .....

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

*22nd* day of *December*, 19 *78*, at *8:00* o'clock

*A. M.*

Application No. *58196*

Permit No. *43827*

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.015 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring.

The use to which this water is to be applied is domestic use for two families, including the irrigation of lawn and garden not to exceed 1/2 acre in area for each, and stock; being 0.01 c.f.s. for domestic use, and 0.005 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 22, 1978

Actual construction work shall begin on or before February 7, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 7th day of February, 1979

James E. Seymour
Water Resources Director