

4. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second... Supplement to Supply Single Family Dwelling
(0.01 Cubic feet per second) (If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is House hold use

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Pressure pump and Pressure tank

If for domestic use state number of families to be supplied 1

7. Construction work will begin on or before presently used

8. Construction work will be completed on or before

9. The water will be completely applied to the proposed use on or before

Application No. 57644

Permit No. 43860

Remarks:

I know this spring has been used for 12 years. I now find the Water Right Certificate ~~is~~ which I thought was for this spring is a right to take water from ~~the~~ Bear Creek which adjoins my property. I will release that right (Permit # 25378 granted to C.H. Markenoth) upon the approval of this one

Boyd Brewer
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... corrections

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before November 21, 1978

WITNESS my hand this 21st day of September, 1978

James E. Sexson Water Resources Director

By *Ralph H. Jackson*
Ralph H. Jackson

RECEIVED

FEB 14 1979
WATER RESOURCES DEPT.
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

13th day of July, 1978, at 8:00 o'clock
A.M.

Application No. 57644

Permit No. 43860

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring.

The use to which this water is to be applied is domestic use for one family.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 14, 1979

Actual construction work shall begin on or before March 2, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 2nd day of March, 1979

James E. Jensen
Water Resources Director