

4. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second... 0.005 ~~0.00~~ CFS
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is... DOMESTIC

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

~~APPROX~~ CATCH BASIN APPROX. 8 FT. IN DIAMETER WITH CONCRETE DAM WITH APPROX. 50 GAL TANK IN CENTER OF DAM WITH 1/2 IN. PIPE RUNNING DOWN THE CANYON TO A LARGE (2 GAL) HOLDING TANK (GRAVITY FLOW) + ANOTHER LENGTH OF 1/2 IN. PIPE RUNNING TO HOUSE (TOTAL FOOTAGE OF PIPE - 720 FT.)

If for domestic use state number of families to be supplied... ONE

7. Construction work will begin on or before... COMPLETE

8. Construction work will be completed on or before... COMPLETE

9. The water will be completely applied to the proposed use on or before... IN USE (6 YRS)

Application No. 58054

Permit No. 43905

Remarks:

.....
.....
.....
.....
.....
.....
.....
.....

X *Mary Sheila Bishop*
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... correction and completion

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before March 26, 79
~~January 15,~~ 19. ~~79~~

WITNESS my hand this 24th January 79
~~15th~~ day of ~~November~~ 19. ~~78~~

James E. Sexson Water Resources Director

By *Donald R. Buell*
Donald R. Buell

RECEIVED
NOV 28 1978
WATER RESOURCES DEPT.
SALEM, OREGON
RECEIVED
JAN 29 1979
WATER RESOURCES DEPT.
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

..... 30th day of *October* 19. 78 at 8:00 o'clock

A.M.

Application No. 58054

Permit No. 43905

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream.

The use to which this water is to be applied is domestic use for one family.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 30, 1978.

Actual construction work shall begin on or before March 2, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980.

Complete application of the water to the proposed use shall be made on or before October 1, 1981.

WITNESS my hand this 2nd day of March, 1979.

James E. Sutton
Water Resources Director