

"CERTIFICATE NO. 60897"

Application No. 58228

Permit No. 43907

STATE OF OREGON WATER RESOURCES DEPARTMENT **RECEIVED**

JAN 9 1979

Application for Permit to Appropriate Surface Water
WATER RESOURCES DEPT.
SALEM, OREGON

I, Reed L. Terry
(Name of Applicant)

of 1020 SOUTH 4TH, Coos Bay
(Mailing Address) (City)

State of Oregon, 97420 Phone No. 267-6827 do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is POD #1 UNNAMED Cr.

POD #2 MARLOW Cr., a tributary of E. FORK MILLICOMA R.
#1 140 FT. N 95 E

2. The point of diversion is to be located #2 185 ft. S and 165 ft. E.
(N. or S.) (E. or W.)

from the SW 1/4 corner of NE 1/4 NE 1/4
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the #1 NE #2 SE 1/4 of the NE 1/4 of

Sec. 5 Tp. 25 S R. 11 W, W.M., in the county of COOS
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
T 25 S	R 11 W	5	SE NE	DOMESTIC USE TO INCLUDE UP TO 1/2 AC LAWN AND GARDEN IRRIGATION

4. The amount of water which the applicant intends to apply to beneficial use is 0.01

cubic feet per second..... FROM UNNAMED CR. WITH ANY DEFICIENCY IN SUPPLY
(If water is to be used from more than one source, give quantity from each)
TO BE SUPPLEMENTED BY APPROPRIATION FROM MARLOW CK.

5. The use to which the water is to be applied is DOMESTIC USE TO INCLUDE
UP TO 1/2 AC LAWN AND GARDEN IRRIGATION

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

FOR P.O.D. # 1
A WOODEN AND STONE DAME 10 FT. WIDE
HOLDING A POOL OF WATER 10 X 20 X 3 FT. DEEP.
DAME SUPPLIES A GRAVITY FEED SYSTEM
THROUGH 800 FT. OF 1/4" PLASTIC PIPE. A
1/2 HORSE POWER ELECTRIC ASSIST PUMP MAINTAINS
PRESSURE AT DWELLING.

FOR P.O.D. # 2
A PORTABLE 3 HORSE POWER GAS DRIVEN OR A
1/2 HORSE POWER ELECTRIC DRIVEN PUMP WITH
INLETS IN MARLOW CREEK. A TIE IN WITH
1/4" PLASTIC PIPE FROM P.O.D. # 1 IS
PROVIDED ON SOUTH SIDE OF MARLOW CREEK. PUMPS
NOT STORED BY MARLOW CREEK UNLESS IN
USE.

If for domestic use state number of families to be supplied ONE

7. Construction work will begin on or before COMPLETE

8. Construction work will be completed on or before COMPLETE

9. The water will be completely applied to the proposed use on or before IN USE

Application No. 58028

Permit No. 43907

Remarks

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Reed L. Terry
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

9th

day of

January

19 79

at

11:00

o'clock

A. M.

Application No.

58228

Permit No.

43907

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream with any deficiency in the available supply from the stream to be made up by diversion of water from Marlow Creek.

The use to which this water is to be applied is domestic use for one family, including the irrigation of lawn and garden not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 9, 1979

Actual construction work shall begin on or before March 2, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1980

Complete application of the water to the proposed use shall be made on or before October 1, 1981

WITNESS my hand this 2nd day of March, 1979

James E. Ferguson
Water Resources Director