

"CERTIFICATE NO. 55684"

Application No. 57804

Permit No. 44012

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED

AUG 15 1978

WATER RESOURCES DEPT. SALEM, OREGON

I, U. S. Department of the Interior, Bureau of Land Management

(Name of Applicant)

of 310 W. Sixth Street, Medford

(Mailing Address)

(City)

State of Oregon, 97501 Phone No. 779-2351 do hereby

(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is a spring, a tributary of the Applegate River.

2. The point of diversion is to be located 880 ft. S. 30° E. and 78 ft. from the NW corner of 15, T. 39 S., R. 3 W.

(N. or S.)

(E. or W.)

(Public Land Survey Corner)

Willamette Meridian

(If there is more than one point of diversion, each must be described)

being within the NW 1/4 of the NE 1/4 of Sec. 15 Tp. 39 South R. 3 West, W. M., in the county of Jackson

(N. or S.)

(E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
39 South	3 West	15	NW 1/4 NE 1/4	Wildlife Use

4. The amount of water which the applicant intends to apply to beneficial use is01.....

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Wildlife Use

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system. ---

The proposed plan is to develop the spring (which is barely more than a seep) by improving the natural flow of the water at the surface. Presently the water is trickling out along a rock contact zone which is about 10 feet in length. It is proposed that utilizing hand labor the area near the contact zone be cleaned of organic detritus and the water collectively channeled into a concrete catchment basin. The catchment basin will be set at ground level and will be 3 feet long, 2 feet wide and approximately 6 inches deep and will hold approximately 23 gallons at one time. Consumptive use by various types of terrestrial wildlife will be made at the catchment basin itself and any surplus water will be allowed to flow out.

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before..... 1 year from date of priority

8. Construction work will be completed on or before..... October 1, 1980

9. The water will be completely applied to the proposed use on or before..... October 1, 1981

Application No. 57804

Permit No. 44012

Remarks:

Wayne C. Baden
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before April 13,, 19 79.....

WITNESS my hand this 13th..... day of..... February....., 1979.....

..... James E. Sexson..... Water Resources Director

By *Ves Garner*
Ves Garner

RECEIVED
MARCH 7 1979
WATER RESOURCES DEPT.
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 16th day of August, 19 78....., at 8:00 o'clock A.....M.

Application No..... 57804.....

Permit No..... 44012.....

Application No. 57804

Permit No. 44012

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1/100 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring.

The use to which this water is to be applied is wildlife.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 16, 1978

Actual construction work shall begin on or before April 24, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

WITNESS my hand this 24th day of April, 1979

James E. Severson
Water Resources Director