

Application No. 57778

Permit No. 44019

STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIVED

APR 09 1979

Application for Permit to Appropriate Surface Water RESOURCES DEPT. SALEM, OREGON

I, Glenn E. Lewis (Name of Applicant)

of Box 205 South Myrtle Route, Myrtle Creek
(Mailing Address) (City)

State of Oregon, 97457 Phone No. 863-6342 do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is South Myrtle Creek and Unnamed
Stream, a tributary of South Umpqua River

2. The point of diversion is to be located ft. and ft.
(N. or S.) (E. or W.)

from the corner of
(Public Land Survey Corner)

√ #1-490'S. and 250'W.
(If there is more than one point of diversion, each must be described)

#2-540'S. and 425'W.

#3-520'S. and 320'W.

#4-1160'S. and 160'W.

√ #5-960'S. and 180'W. all from NE cor. of SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 29
 all being within the SW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of

Sec. 29 Tp. 29S. R. 4W., W. M., in the county of Douglas
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
29S.	4W.	29	SW $\frac{1}{4}$ NW $\frac{1}{4}$	6.8 ac. South Myrtle Creek
				3.4 ac. Unnamed Creek with any deficiency from South Myrtle Creek
				Domestic from Unnamed stream with any deficiency from South Myrtle
				Stock from Unnamed stream

4. The amount of water which the applicant intends to apply to beneficial use is SEE REMARKS

cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is SEE REMARKS

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Will use a 3½ H.P. gasoline pump until electricy can be brought to P.O.D. #2 then will convert to electricity. Pump will have a 2" outlet and will use 2" portable main line with 2" branch lines with appropriate size sprinklers. After electricity is installed on P.O.D. #2- will use portable pump on P.O.D. #5 unless it can be established that it will run gravity flow to pasture and corral by bam for water trough.

If for domestic use state number of families to be supplied 1

7. Construction work will begin on or before 10-1-79

8. Construction work will be completed on or before 10-1-80

9. The water will be completely applied to the proposed use on or before 10-1-81

Application No. 57778

Permit No. 44019

Remarks:	USE	SOURCE	P.O.D.	AMOUNT
	IRRIGATION	South Myrtle 6.8	2	0.09
		Unnamed stream - 3.4	5	0.04 with any deficiency from South Myrtle P.O.D. #3
	Domestic	Unnamed stream	4	0.005 with any deficiency from South Myrtle P.O.D. #1
	Stock	Unnamed stream	5	0.005

Glen E. Lewis
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

9th day of August, 1978, at 11:00 o'clock

A.M.

Application No. 57778

Permit No. 44019

Application No. 5778

Permit No. 44019

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.14 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and South Fork Myrtle Creek; being 0.005 c.f.s. from the unnamed stream for stock, 0.005 c.f.s. for domestic use for one family, 0.04 c.f.s. for irrigation from the unnamed stream with any deficiency in the available supply of water from the unnamed stream to be made up by diversion of water from South Myrtle Creek; and 0.09 c.f.s. from South Myrtle Creek for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.


and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 9, 1978 for 0.07 c.f.s. and April 9, 1979 for 0.07 c.f.s.

Actual construction work shall begin on or before April 24, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

WITNESS my hand this 24th day of April, 1979


Water Resources Director