

RECEIVED

FEB 17 1977

Permit No. 44141

WATER RESOURCES DEPT. OREGON

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, L.R. Peters (Name of applicant) of Rt. 3 Box 541 (Mailing address), Aurora (City) State of Oregon, 97002 (Zip Code), do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed stream and Peters Pond (Name of stream) constructed under Per. No. R-5891, a tributary of Pudding River

2. The amount of water which the applicant intends to apply to beneficial use is 0.47 cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is out-of-season irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion, stream is located 1420 ft. N. and 1150 ft. E. from the SW corner of Section 18 (Section or subdivision) Pond div. pt. located: 1450 ft. N. E. 1040 ft. E. from the S.W. corner of Section 18 (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW 1/4 SW 1/4 of Sec. 18, Tp. 4S (Give smallest legal subdivision) (N. or S.)

R. 1E, W. M., in the county of Clackamas (E. or W.)

5. The portable system (Main ditch, canal or pipe line) to be in length, terminating in the of Sec. of Tp. (Smallest legal subdivision) (N. or S.)

R. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 15 H.P. elect. (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Municipal or Domestic Supply—


10. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before started
- 13. Construction work will be completed on or before completed
- 14. The water will be completely applied to the proposed use on or before Feb. 23, 1977


(Signature of applicant)

Remarks:

The soil condition At present does not permit the proper harvesting of nursery stock. Since the seasons have changed the harvest season for nursery stock is now, & without the proper moisture in the soil the crop cannot be harvested correctly according to the standards of the state nursery inspectors.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.47 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and reservoir constructed under permit No. R-5891.

The use to which this water is to be applied is supplemental irrigation. The use allowed herein may be made anytime between October 1 and March 31 that water can be put to beneficial use by irrigation for immediate crop growth.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1 acre foot per acre for each acre irrigated during the period from October 1 to March 31, provided further that the right allowed herein, together with the amount secured under any other right existing for the same land shall not exceed 2 1/2 acre feet for each acre irrigated in any one year. The use of water during the period from October 1 to March 31 as authorized herein shall not establish priority of right as against future appropriations of surface water for beneficial uses or for storage for such beneficial uses, other than similar rights for irrigation from October 1 to March 31. Provided further, the permittee shall record and submit annually a report of all water used for irrigation during the period of October 1 through March 31 of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 17, 1977

Actual construction work shall begin on or before June 20, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981.

Complete application of the water to the proposed use shall be made on or before October 1, 1982.

WITNESS my hand this 20th day of June, 1979.

[Signature]
Deputy Water Resources Director

Application No. 55269
Permit No. 44141

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 17th day of February,
1979, at 2:23 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. of
Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 12.223

Fees