

4. The amount of water which the applicant intends to apply to beneficial use 5 G.P.M.

DOMESTIC USE FOR TWO HOUSES FROM SPRING
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is IRRIGATION - AND DOMESTIC CREEK 25 G.P.M. FROM SPRING, 4 G.P.M. AND 1 GAL.P.M. DOMESTIC

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

3/4 HORSE PUMP AT EDGE OF LAKE, 1 1/2 INCH PIPE TO IRRIGATION AREA. RAIN BIRD SPRINKLERS.

1- INCH GRAVITY FEED PIPE FROM SPRING TO HOUSE SISTERN, OVER-FLOW GOES TO LAKE, AS A SOURCE OF WATER FOR LAKE. THE SPRING WATER WAS USED FOR DOMESTIC PURPOSES FOR MANY YEARS PRIOR TO 1965 WHEN I PURCHASED THE PROPERTY.

If for domestic use state number of families to be supplied 2

7. Construction work will begin on or before Complete

8. Construction work will be completed on or before Complete

9. The water will be completely applied to the proposed use on or before Complete

Application No. 58416

Permit No. 44145

Remarks: This lake and dam was in use to irrigate many years before I purchased the property.

Date I purchased it Sept. 24 - 1965.

I put a much smaller pump in and underground 1" inch line. previously they used a 3" on top of ground pipe and large motor & pump.

Signature of Applicant

Karl Kropp

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction.

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before June 11, 1979.

WITNESS my hand this 10th day of April, 1979.

James E. Sexson Water Resources Director

By Donald R. Buell
Donald R. Buell

RECEIVED

APR 13 1979

WATER RESOURCES DEPT.
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

19th day of March, 1979, at 8:00 o'clock

A.M.

Application No. 58416

Permit No. 44145

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 15 gallons per minute measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Chrinstensen Creek, a spring, and reservoir to be constructed under application No. R-58415, permit No. R-7826.

The use to which this water is to be applied is irrigation and domestic use for two families; being 10 gpm from Chrinstensen Creek and reservoir and 4 gpm from the spring for irrigation, and 1 gpm from the spring for domestic use.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further water shall not be appropriated from direct flow during the period from July 31 through September 15 of each year for irrigation, except for stored water.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 19, 1979

Actual construction work shall begin on or before June 20, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

WITNESS my hand this 20th day of June, 1979

Chris [Signature] Water Resources Director

241 5