

7.1

4. The amount of water which the applicant intends to apply to beneficial use is

cubic feet per second..... during the irrigation season.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is supplemental irrigation on 668 acres

covered by certificate No. 42433.

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

The proposed system will use the same point of diversion as Sabre Farms and use the Columbia Improvement District system and canal. The irrigation system intake would then be installed at the west end of the Columbia Improvement District canal and pump through a 30" line to Far West Farms. The length of this line is approximately 6.5 miles. The pumps and motors will be sufficient size and capacity to overcome the 34.1 cfs required during the irrigation season. The difference in elevation is approximately 350 feet. Pipe velocities would be in the 3-5 feet per second range.

If for domestic use state number of families to be supplied NA

7. Construction work will begin on or before.....within one year of permit approval.....

8. Construction work will be completed on or before.....three years from beginning of project

9. The water will be completely applied to the proposed use on or before.....December 1, 1984.....

Application No. 58329

Permit No. **44153**.....

Remarks: This application is for supplemental irrigation water for 668 acres.

In the interest of conserving groundwater, I will at times prefer to

use Columbia River water before well water.

Jerald Rice

Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of , 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

15th day of *February*, 19....., at 2:00 o'clock

P.M.

Application No. *58329*

Permit No. *44153*

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed7.1..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Columbia River.....

The use to which this water is to be applied is...supplemental irrigation.....

If for irrigation, this appropriation shall be limited to1/40th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4½ acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,.....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit isFebruary 15, 1979.....

Actual construction work shall begin on or beforeJune 20, 1980..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.....
Extended to Oct. 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 19.....
Extended to Oct. 1, 1983

WITNESS my hand this20th..... day ofJune....., 19.....79.....

John L. Wheeler
Deputy Water Resources Director
B-1