

Application No. 56845

Permit No. 44178

STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIVED

MAR 19 1979

Application for Permit to Appropriate Surface Water

WATER RESOURCES DEPT.
SALEM, OREGON

I, Paul Nolte and or Ed Nolte
(Name of Applicant)

of Toketee Rt. Box 160, Idlewild Park
(Mailing Address) (City)

State of Oregon, 97447 Phone No. 496-3630
(Zip Code) do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Rock Creek E North

Umpqua River, a tributary of Umpqua River
#1 630 450' W

2. The point of diversion is to be located 2,1670 ft. S. and 170 ft. E.
(N. or S.) (E. or W.)

from the Center corner of Section 1
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the #1 NE SW
#2 SW 1/4 of the SE 1/4 of

Sec. 1 Tp. 26 S. R. 3 W., W. M., in the county of Douglas
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
<u>26 S.</u>	<u>3 W.</u>	<u>1</u>	<u>NE 1/4 SW 1/4</u>	<u>No. 2 & 3 Prime. Dorr. Rock Cr.</u> <u>No. 1 Supp. Dorr. Rock Cr.</u> <u>5.8 A Supp. irrig. Rock Cr.</u>
				<u>3 Supp. Dorr. N. Umpqua</u> <u>5.8 A. Prime irrig. N. Umpqua</u>

Form 690-1-0-1-77

12/14 1770

4. The amount of water which the applicant intends to apply to beneficial use is 0.176

cubic feet per second. Rock Cr. .088 N. Umpqua .088

(If water is to be used from more than one source, give quantity from each)

Prime Dam Rock Cr 0.01 - Supp. Dam Rock Cr.

5. The use to which the water is to be applied is .005 - Supp. irrig. Rock Cr. .073
Supp. Dam. N. Umpqua .015 - prime irrig. N. Umpqua .073

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

1 hp. elect. - Water delivered to houses by buried pipe line.
Irrigation from hoses (Rock Cr.)

100 hp. elect. - Water delivered by buried pipe line, irrigation
from hoses (N. Umpqua)

If for domestic use state number of families to be supplied 3

7. Construction work will begin on or before 5/1/78

8. Construction work will be completed on or before 5/1/79

9. The water will be completely applied to the proposed use on or before 5/1/80

Application No. 56845

Permit No. 44178

Remarks: Drilled well on property to serve 1 home. It may not provide sufficient water all year.

THIS APPLICATION PREPARED BY:

Ed. C. Apperell

FROM INFORMATION FURNISHED BY THE APPLICANT.

Paul Nolte
Ed. Nolte

Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

9th

day of

November

, 19.77.....

at 11:00 o'clock

A.M.

Application No. 56845

Permit No. 44178

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.085 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rock Creek and North Umpqua River.

The use to which this water is to be applied is domestic use for three families, irrigation, and supplemental irrigation; being 0.01 c.f.s. from Rock Creek or North Umpqua River for domestic use, 0.075 c.f.s. from North Umpqua River for irrigation, and 0.075 from Rock Creek for supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 5, 1979 for Rock Cr./March 19, 1979 for N. Umpqua River.

Actual construction work shall begin on or before June 20, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

WITNESS my hand this 20th day of June, 1979

Deputy Water Resources Director