

Application No. 58634

Permit No. 44228

**STATE OF OREGON WATER RESOURCES DEPARTMENT**

**Application for Permit to Appropriate Surface Water**

**RECEIVED**  
MAY 09 1979  
WATER RESOURCES DEPT.  
SALEM, OREGON

I, U.S.D.A. FOREST SERVICE by Floyd H. Baker  
(Name of Applicant)

of P.O. BOX 1027, MEDFORD  
(Mailing Address) (City)

State of OREGON, 97501 Phone No. 772-5256 do hereby  
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is LAKE OF THE WOODS  
....., a tributary of .....

2. The point of diversion is to be located 118 ft. S and 1232 ft. E  
(N. or S.) (E. or W.)  
from the N.W. corner of SEC. 15, T. 37S, R. 5E., W.M.  
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

..... being within the N.W.  $\frac{1}{4}$  of the N.W.  $\frac{1}{4}$  of  
JAB JAB  
Sec. 15 Tp. 37S R. 5E, W.M., in the county of KLAMATH  
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
37 S	5 E	15	<u>JAB</u> <u>NW 1/4 NW 1/4</u>	<del>1.0</del> - DOMESTIC USE ONLY

4. The amount of water which the applicant intends to apply to beneficial use is ~~FOR~~ 0005

cubic feet per second..... DOMESTIC USE ONLY

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is FOR DOMESTIC USE ONLY

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

1/2 H.P. Jaquizi electric pump and pressure system located approx. 30 ft. from the shore line of the Lake. Approx. 50 ft. of one inch pipe extending out into the Lake, commencing at the pump into the Lake. Approx. 60 feet of three quarter inch pipe from the pump and pressure system up to the cabin where the system services for domestic purposes only and an outside outlet for fire protection.

If for domestic use state number of families to be supplied..... One cabin only

7. Construction work will begin on or before..... Already installed

8. Construction work will be completed on or before..... Same

9. The water will be completely applied to the proposed use on or before..... Current

Application No. 58634

Permit No. 44228


SYSTEMS DECOM BYLEB BEZONKES DELL 11/10/13 RECEIVED

Remarks:.....As stated, permit is for domestic purposes,.....

I was instructed by the Forest Service to name the U.S. Government  
as the applicant and to sign the application as Floyd H. Baker  
*LOT 7, BLOCK M. 34B.*

U.S.D.A. Forest Service

Signature of Applicant




BY: FLOYD H. BAKER, PERMITTEE

This is to certify that I have examined the foregoing application, together with the accompanying maps  
and data, and return the same for.....correction.....

In order to retain its priority, this application must be returned to the Water Resources Director with  
corrections on or before July 23, ....., 19 79.....

WITNESS my hand this 21st day of May, ....., 19 79.....

James E. Sexson..... Water Resources Director

By   
Steven P. Applegate

RECEIVED

MAY 29 1979

WATER RESOURCES DEPT.  
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

*9th* day of *May*, 19 *79*, at *11:00* o'clock  
*A.M.*

Application No. *58634*

Permit No. **44228**

Application No. 58634

Permit No. 44228

### Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Lake of the Woods.

The use to which this water is to be applied is domestic use for one family.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 9, 1979

Actual construction work shall begin on or before July 13, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

WITNESS my hand this 13th day of July, 1979

*James E. Larson*  
Water Resources Director