

STATE OF OREGON WATER RESOURCES DEPARTMENT RECEIVED

Application for Permit to Appropriate Surface Water MAY 02 1979

WATER RESOURCES DEPT. SALEM, OREGON

I, Gary M Norris (Name of Applicant)

of PO Box 492 (Mailing Address), Powers (City)

State of Oregon, 97466 (Zip Code) Phone No. None do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Salmon Creek & unnamed spring, a tributary of South Fork Coquille R.

2. The point of diversion is to be located ft. and ft. (N. or S.) (E. or W.)

from the NW corner of Sec 24, Tp 31S, R 12W Coos County (Public Land/Survey Corner)

POD #3 (salmon Cr) trib of S. Fork Coque 900S 1055 E W/in NW 1/4 NW 1/4

POD #1 (spring) trib. Salmon Cr. 850S 230 E W/in NW 1/4 NW 1/4

POD #2 (salmon Cr) trib. S. Fork Coque 1560 S 1075 E W/in SW 1/4 NW 1/4

being within the 1/4 of the 1/4 of

Sec. Tp. R., W. M., in the county of

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Contains handwritten entries for T31S R12W Sec 24.

4. The amount of water which the applicant intends to apply to beneficial use is 0.16  
cubic feet per second. Spring = 0.005 cfs, Salmon Cr. = 0.155 cfs  
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Dom = 0.005, stock = 0.005,  
irr = 0.15

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Dom. POD # 1 5 gal submerged spring box  
200 ft  $\frac{3}{4}$  plastic hose  
1200 gal holding tank (buried)  
600 ft  $\frac{3}{4}$  plastic hose to use

POD # 2 } small 10 GPM pump  $\frac{3}{4}$  hp  
POD # 3 } 300 ft  $\frac{3}{4}$  plastic hose  
open end irrigation (flood)

If for domestic use state number of families to be supplied One

7. Construction work will begin on or before 04-05-80

8. Construction work will be completed on or before 04-05-81

9. The water will be completely applied to the proposed use on or before 04-05-82

Application No. 58609

Permit No. 44251



Application No. 58609

Permit No. 44251

### Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.16 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed spring and Salmon Creek.

The use to which this water is to be applied is domestic use for one family, stock and irrigation; being 0.005 c.f.s. for domestic use from the spring, 0.005 c.f.s. for stock and 0.15 c.f.s. for irrigation from Salmon Creek.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 2, 1979

Actual construction work shall begin on or before July 13, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

WITNESS my hand this 13th day of July, 1979

*James E. Seaman*  
Water Resources Director