

STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIVED

Application for Permit to Appropriate Surface Water

NOV 15 1978

WATER RESOURCES DEPT. SALEM, OREGON

I, James E. Kerns (Name of Applicant)

of Rt. 1 Box 28 HAINES (Mailing Address) (City)

State of OREGON, 97833 (Zip Code) Phone No. 856-3595 do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is A STREAM coming from a spring, a tributary of Willow Creek

2. The point of diversion is to be located 380 ft. S and 420 ft. W from the NE corner of SW 1/4 NE 1/4 of Sec. 3 (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the SW 1/4 of the NE 1/4 of Sec. 3 Tp. 8S R. 38E, W.M., in the county of BAKER

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Contains handwritten entries for sections 3, 2, 3, and 35.

4. The amount of water which the applicant intends to apply to beneficial use is .....  
see letter 6-28-79 400  
cubic feet per second ~~500~~ 300 gallons/min  
see letter rec 7-2-79  
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is .....  
SUPPLEMENTAL Irrigation and stockwater  
(10 gal/min for stockwater, rest for irrigation)

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

From a headgate approximately 7 ft long, the water will be diverted into a 6" PVC pipe. After flowing through several joints of 6" pipe, the line will be narrowed to 4". This, also, will be 63# PVC, 2000 ft long. The water will be dumped into a buried 8" mainline (125# PVC already in place). The water will be applied to the land through use of sprinklers operating by gravity flow.

stockwater thru irrigation system to small stockpond for max. 300 hd of CATTLE

If for domestic use state number of families to be supplied .....

7. Construction work will begin on or before April 1st, 1979

8. Construction work will be completed on or before June 30, 1979

9. The water will be completely applied to the proposed use on or before Oct. 31, 1979

Application No. 58096

Permit No. 44276

Remarks: This spring arises on my property, flows for 1/4 mile, then leaves my property and disappears into the ground on my immediate neighbor's property. It does not flow into any other stream or ditch, but could drain into the Brown-Deloy Ditch from Rock Creek if excess water was ever generated.

James E. Yelms  
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....Correction and Completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before .....17th of January....., 19..79.....

WITNESS my hand this .....17th..... day of.....November....., 19..78.....

Water Resources Director

By Donald R. Buell  
Donald R, Buell

RECEIVED  
DEC 11 1978  
WATER RESOURCES DEPT.  
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 15th day of November, 19 78, at 11:00 o'clock  
A.M.

Application No. 58096

Permit No. 44276

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a stream.

The use to which this water is to be applied is supplemental irrigation and stock; being 1.0 c.f.s. for supplemental irrigation, and 0.005 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 15, 1978 for 0.665 c.f.s. July 2, 1979 for 0.34 c.f.s.

Actual construction work shall begin on or before August 8, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

WITNESS my hand this 8th day of August, 1979

Signature of James E. Seaman, Water Resources Director