

113 ¹⁰

Application No. 58064

Permit No. 44308

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

I, Peter Dinsdale (Name of Applicant)

of 4290 Barrett St, Salem
(Mailing Address) (City)

State of Oregon, 97302 Phone No. do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is South Yamhill River and Blue Heron Reservoir, a tributary of Yamhill River

2. The point of diversion is to be located 2650 ft. N. and 650 ft. W.
(N. or S.) (E. or W.)
 from the SW corner of Monroe DLC 74 w/in NW SW
(Public Land Survey Corner)

Sec. 12, 400'S & 2020'W, w/in SE NE Sec 14,
(If there is more than one point of diversion, each must be described)

1600'S & 1780'W w/in SW NW Sec 13; Res Loc: -
70'S & 10'W w/in NE NW Sec 13 - all from
the same corner. being within the 1/4 of the 1/4 of

Sec. Tp. 5S R. 5W, W. M., in the county of Yamhill
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Primary Supplemental

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated	
55	4W	18	NW NW	2.9	
	"	"	SW NW	10.5	9.0
55	5W	12	NE SW	4.5	0.9
			NW SW	6.6	0.1
			SW SW	22.5	17.5
			SE SW	10.2	10.6
			SW SE	9.6	
			SE SE	6.0	
		13	NE NE	18.7	
			NW NE	39.0	
			SW NE	26.3	
			SE NE	36.8	
			NE NW	36.5	
			NW NW	35.6	4.4
			SW NW	25.6	11.6
			SE NW	21.3	
		14	NE NE	18.9	2.2
			SW NE	1.2	
			SE NE	23.5	3.5
			<u>Total 15</u>	<u>365.2</u>	<u>59.8</u>

4. The amount of water which the applicant intends to apply to beneficial use is 5.09

cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Irrigation of 357^e ac
& Suppl Irrigation of 50^e

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

3 pump sites on the river & a
pump on the reservoir. 2-75 hp &
2-50 hp.
portable sprinkler system &
drip system on pole berries.

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before..... has begun

8. Construction work will be completed on or before..... 10/1/80

9. The water will be completely applied to the proposed use on or before..... 10/1/81

Application No. 58264

Permit No. 44308

Remarks:.....

.....
.....
.....
.....
.....
.....
.....

Peter P. ...
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

..... Water Resources Director

By

RECEIVED
JAN 24 1979
WATER RESOURCES DEPT.
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 24th day of January, 19 79, at 1:05 o'clock P.M.

Application No. 58269

Permit No. 44308

Application No. 58264

Permit No. 44308

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 5.09 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Yamhill River and Blue Heron Reservoir to be constructed under application No. R-58263, permit No. R-7840.

The use to which this water is to be applied is irrigation and supplemental irrigation.

RECEIVED

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 24, 1979

Actual construction work shall begin on or before August 31, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

WITNESS my hand this 31st day of August, 1979

James E. Larson
Water Resources Director