

Application No. 58956

Permit No. 44312 RECEIVED

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

WATER RESOURCES DEPT
SALEM, OREGON

I, Leaford W. and Florence M. Miller and Larry M. and Georgia R. L.
(Name of Applicant)
of P.O. Box 336 P.O. Box 238 Cascade Locks Whitecotton
(Mailing Address) (City)
State of Oregon, 97014 Phone No. 374-8608 374-8291
(Zip Code) do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is a spring
Dry Creek
a tributary of

2. The point of diversion is to be located 1650 ft. S and 1250 ft. W
(N. or S.) (E. or W.)
from the N $\frac{1}{2}$ corner of Section 7
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the SE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of
Sec. 7 Tp. 2N R. 8E, W. M., in the county of Hood River
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

| Township | Range | Section | List $\frac{1}{4}$ $\frac{1}{4}$ of Section | List use and/or number of acres to be irrigated |
|----------|-------|---------|---|---|
| 2N | 8E | 7 | NE $\frac{1}{4}$ NW $\frac{1}{4}$ | Dom (2) 1.8 acres |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

4. The amount of water which the applicant intends to apply to beneficial use is

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is 0.02 c.f.s. for irrigation

0.01 c.f.s. for domestic

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

20' 4" steel pipe from spring to a 500 gallon reservoir

5" pipe 150'

4" pipe to north side of freeway

2" pipe to the houses

If for domestic use state number of families to be supplied two

7. Construction work will begin on or before complete

8. Construction work will be completed on or before complete

9. The water will be completely applied to the proposed use on or before... 10-1-81

Application No. 58986

Permit No. 44312

Remarks: We would appreciate speed in the processing this application had we are having water problems.

THIS APPLICATION PREPARED BY:
[Signature]
FROM INFORMATION FURNISHED BY THE APPLICANT.

Laford W. Miller
Glorena M. Miller
Signature of Applicant
Larry M. Whitecotton
George S. Whitecotton

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the *1st* day of *August*, 19*79*, at *11:00* o'clock *A.M.*

Application No. *58986*

Permit No. *44312*

Application No. 58986

Permit No. 44312

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring.

The use to which this water is to be applied is domestic use for two families and irrigation being 0.01 c.f.s. for domestic use, and 0.02 c.f.s. for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 1, 1979

Actual construction work shall begin on or before August 31, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

WITNESS my hand this 31st day of August, 1979

James E. Selmon
Water Resources Director