

Application No. 58791

Permit No. 44329

STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIVED

Application for Permit to Appropriate Surface Water

JUN 15 1979

WATER RESOURCES DEPT. SALEM, OREGON

I, ROBERT HOPP (Name of Applicant) of 9402 E. EVANS CREEK ROAD (Mailing Address) ROGUE RIVER (City) Oregon 97537 (Zip Code) Phone No. 582-3919 do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is EVANS CREEK, a tributary of ROGUE RIVER

2. The point of diversion is to be located 175 ft. N (N. or S.) and 1100 ft. W (E. or W.)

from the SW corner of NORTH EAST QUARTER OF SECTION 11 TOWNSHIP 35S RANGE 4W OF THE WILLAMETTE MERIDIAN JACKSON COUNTY OREGON (Public Land Survey Corner) (If there is more than one point of diversion, each must be described)

being within the SW 1/4 of the NE 1/4 of Sec. 11 Tp. 35S R. 4W, W. M., in the county of JACKSON

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Rows include: 35S 4W 11 SW 1/4 NE 1/4 16 Acres; 35S 4W 11 SW 1/4 NE 1/4 LIVESTOCK WATERING; 35S 4W 11 NW 1/4 SE 1/4 1 Acre

4. The amount of water which the applicant intends to apply to beneficial use is .025

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

TWO & SIX TENTHS

5. The use to which the water is to be applied is IRRIGATION OF ~~THE~~ ACRES  
AND LIVESTOCK WATERING, BEING .03 CFS FOR IRRIGATION AND  
.01 CFS FOR STOCK

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

FROM THE POINT OF DIVERSION I WILL HAVE A 30' LONG 2" DIAMETER INPUT PIPE INTO A ONE HORSEPOWER ELECTRIC MOTOR DRIVEN PUMP. THE PUMP WILL FEED A 40' LONG 3" DIAMETER DISTRIBUTION PIPE. AT THAT POINT THE LINE WILL BRANCH OFF TO AN "T" RUNNING PARALLEL TO E EVANS CREEK ROAD IN A NORTHEASTLY DIRECTION, NORTH APPROX 70' AND SOUTHWESTERLY 400'. I WILL HAVE NINE RAINBIRD SPRINKLERS AT 40' CENTERS. I WILL ALSO HAVE A HOSE BIB LOCATED AT THE NORTH EAST END OF THE PIPELINE FOR LIVESTOCK WATERING.

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before JULY 30, 1979

8. Construction work will be completed on or before JULY 30, 1980

9. The water will be completely applied to the proposed use on or before JULY 30, 1980

Application No. 58791

Permit No. 44329

Remarks:.....

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

*Robert D. Hagg* June 11/79  
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before ....., 19.....

WITNESS my hand this ..... day of....., 19.....  
..... Water Resources Director

By .....

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 15<sup>th</sup> day of JUNE, 1979, at 11:00 o'clock A.M.

Application No. 58791.....

Permit No. 44329.....

8483

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.035 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Evans Creek.

The use to which this water is to be applied is stock and irrigation; being 0.005 c.f.s. for stock, and 0.03 c.f.s. for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 15, 1979

Actual construction work shall begin on or before August 31, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

Extended to Oct. 1, 1982 WITNESS my hand this 31st day of August, 1979

James E. Larson Water Resources Director