

"Superseded by 68470
Cert. No. _____"

"CERTIFICATE NO. 166243"

Application No. 58843

Permit No. 44375

RECEIVED
JUN 14 1979
WATER RESOURCES
SALEM, OREGON

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

I, Sherman R. Allen (Name of Applicant)

of 3110 N. 2nd Street (Mailing Address), Baker (City)

State of Oregon (State), 97814 (Zip Code), Phone No. 523-5460 do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is A sump pond
Springs in the immediate area will drain into the sump which will be the holding
pond to pump from 6/24/79 a tributary of _____

2. The point of diversion is to be located 1310 ft. S and 10 ft. W
(N. or S.) (E. or W.)
from the NE corner of Section 15
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

_____ being within the NE 1/4 of the NE 1/4 of
Sec. 15 Tp. 9S R. 39E, W. M., in the county of Baker
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
9S	39E	15	NE NE	19 Primary
9S	39E	15	NE NE	1 Supplemental

4. The amount of water which the applicant intends to apply to beneficial use is 0.5

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is primary & supplemental

irrigation.....

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Sump Pond 15' X 20' X 10" Using ^{110 or 220 Volt} 1/2 H.P. Centrifugal
Pump, sprinkler pipes & Heads suitable for the
flow & pressure. To be used for lawn &
Pasture Irrigation.

It will depend on the flow of water that will
determine the size of the Pump & Motor.
Perhaps it might be a 1/4 H.P. outfit.

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before 10-1-80

8. Construction work will be completed on or before 10-1-81

9. The water will be completely applied to the proposed use on or before 10-1-82

Application No. 58843

Permit No. 44375

Remarks:.....

Shannon R. Allen
Signature of Applicant

RECEIVED
JUN 27 1979
WATER RESOURCES DEPT
SALEM, OREGON

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... completion

..... order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before July 20, 1979, August 22, 79

..... WITNESS my hand this 19th day of June, 1979, 22nd June 79

James E. Sexson Water Resources Director

By Ralph H. Jackson

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 14th day of June, 1979, at 8 o'clock A.M.

Application No. 58843

Permit No. 44375

Application No. 58843

Permit No. 44375

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.50 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring area

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 14, 1979

Actual construction work shall begin on or before September 27, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

WITNESS my hand this 27th day of September, 1979

James E. Swan
Water Resources Director