

Application No. 58507

Permit No. 44404

STATE OF OREGON WATER RESOURCES DEPARTMENT RECEIVED

Application for Permit to Appropriate Surface Water MAY 10 1979

WATER RESOURCES DEPT. SALEM, OREGON

I, Roger L. Eli (Name of Applicant)

of PO Box 64, Colton (Mailing Address) (City)

State of Oregon 97017 Phone No. 824-2348 (Zip Code)

do hereby make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is an unnamed stream & 5 reservoirs, a tributary of Milk Cr (Molalla R.)

2. The point of diversion is to be located ft. and ft. (N. or S.) (E. or W.)

* from the N/A corner of Section 9 (Public Land Survey Corner)

Creek: - 791870' S. & 970' E.

(If there is more than one point of diversion, each must be described)

Res #1 670' S. & 750' E. Res. #4 777' S. & 922' E.

Res #2 730' S. & 830' E. Res. #5 789' S. & 932' E.

Res #3 735' S. & 850' E. being within the NW 1/4 of the NE 1/4 of

Sec. 9 Tp. 55 S. R. 34 E W. M., in the county of Clackamas (N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Row 1: 55, 34E, 9, NW NE, fish culture.

4. The amount of water which the applicant intends to apply to beneficial use is 203 ~~100~~ ¹⁰⁰ cubic feet per second. 100 gallons per minute for Reservoirs #2, 3, 4, & 5 and 100 gallons per minute for Reservoir #1.
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Fish Culture
(Rainbow Trout)

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

There is no construction involved as the large pond (Res. #1) since it is an existing pond. At the point of diversion, this reservoir contains two culverts - one 15" and the other 10" in diameter. This reservoir is 65' x 100', 3' deep on one end, graduating to 7' deep at the opposite end.

The ~~two~~ ^{four} smaller ponds (Res. #2 & 3, ^{and #4 & #5}) are to be ~~15~~ ⁴ x ~~12~~ ¹² in size, ~~3~~ ³ deep.

At the point of diversion (for the water supply) there will be a small diversion dam ~~12" x 24"~~ ^{12" x 24"} approx.) in order to divert the needed water to feed the small ponds (Res. #2 & #3). This diversion dam will be constructed out of wood.

There will be a ~~small ditch~~ ^{4" plastic pipe} ~~6" wide x 6" deep~~ that will feed the ~~two~~ ^{four} smaller ponds (Res. #2 & #3 ^{and #4 & #5}) and then carry the water back into the main stream.
If for domestic use state number of families to be supplied

- 7. Construction work will begin on or before April 30, 1979.
- 8. Construction work will be completed on or before May 10, 1979
- 9. The water will be completely applied to the proposed use on or before May 10, 1979

Remarks: I propose to raise approximately 100,000 trout per year.

Roger L. Eli
Signature of Applicant

RECEIVED
SEP 0 - 1979
WATER RESOURCES DEPT
SALEM, OREGON

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for additions

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before September 12, 1979

WITNESS my hand this 12th day of July, 1979

James E. Sexson Water Resources Director

By *Ralph H. Jackson*
Ralph H. Jackson

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 9th day of APRIL, 1979, at 11:00 o'clock A.M.

Application No. 58507

Permit No. 44404

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same **SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.22 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and five reservoirs to be constructed under Application No. R-58638, Permit No. R-7934

The use to which this water is to be applied is fish culture

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated


and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 9, 1979 for 0.03 c.f.s. and September 6, 1979 for 0.19 c.f.s.

Actual construction work shall begin on or before October 17, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

WITNESS my hand this 17th day of October, 1979


Water Resources Director