

Application No..... 58918.....

Permit No..... 44428.....

RECEIVED**STATE OF OREGON WATER RESOURCES DEPARTMENT**

JUL 16 1979

**WATER RESOURCES DEPARTMENT Application for Permit to Appropriate Surface Water
SALEM, OREGON**I, Horton Family Trust, by John C. Horton, trustee
(Name of Applicant)of Rt. 2, Box 798..... Klamath Falls.....
(Mailing Address) (City)State of Oregon..... 97601..... Phone No..... (503) 884-8451..... do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is.... Williamson River.....

....., a tributary of Upper Klamath Lake.....

P.O.D.#1 = S 84° 00' E - 932.6 feet

2. The point of diversion is to be located (E. or W.)from the Northwest corner of Section 19, T. 30 S., R. 10 E., W.M. and.....
(Public Land Survey Corner)P.O.D.#2 = S 89° 44' W - 2720.7 feet from Northeast corner of Section
(If there is more than one point of diversion, each must be described)

24, T. 30 S., R. 9 E., W.M.

19	30 S.	10 E.	NW $\frac{1}{4}$	NW $\frac{1}{4}$
Sec. 24	Tp. 30 S.	R. 9 E., W.M.	NE $\frac{1}{4}$	$\frac{1}{4}$ of the NW $\frac{1}{4}$, $\frac{1}{4}$ of
	(N. or S.)	(E. or W.)		

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
30 S.	9 E.	13	SW $\frac{1}{4}$ -SW $\frac{1}{4}$	40 Acres
			SE $\frac{1}{4}$ -SW $\frac{1}{4}$	40 "
		24	NW $\frac{1}{4}$ -NE $\frac{1}{4}$	40 "
			SW $\frac{1}{4}$ -NE $\frac{1}{4}$	40 "
			NE $\frac{1}{4}$ -SE $\frac{1}{4}$	40 "
			NW $\frac{1}{4}$ -SE $\frac{1}{4}$	40 "
			SW $\frac{1}{4}$ -SE $\frac{1}{4}$	40 "
			SE $\frac{1}{4}$ -SE $\frac{1}{4}$	40 "
				320 Acres

4. The amount of water which the applicant intends to apply to beneficial use is 8
cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Irrigation.....

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

P.O.D. # 1 = by means of a check structure made of steel sheet.....
piling with two openings - each 6 feet wide by 5.0 feet deep.

Water control is by use of flashboards. Ditch No. 1 is 6' wide on top, 3' wide on bottom, and 3' deep.

P.O.D. # 2 = by means of a check structure made of steel sheet.....
piling with two openings each 6 feet wide by 6 feet high. Water control is by means of wooden flashboards.

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before..... Construction already started.....

8. Construction work will be completed on or before..... October 1, 1981.....

9. The water will be completely applied to the proposed use on or before..... October 1, 1982.....

Application No. 58918

Permit No. 44428

Remarks: In filing this application, the applicant does not waive or abandon any vested rights appurtenant to said lands.

HORTON FAMILY TRUST

Signature of Applicant

by: *John C. Horton*
Trustee

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of , 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
..... *16th* day of *July*, 19⁷⁹, at *8:00* o'clock
..... *A.M.*

Application No. *58918*

Permit No. *44428*

Application No..... 58918.....

Permit No..... 44428.....

PC

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 8.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Williamson River.....

.....
.....
.....

The use to which this water is to be applied is..... irrigation.....

.....
.....
.....

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre feet per acre for each acre irrigated during the irrigation season of each year.....

.....
.....
.....
.....
.....
.....
.....
.....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 16, 1979.....

Actual construction work shall begin on or before October 17, 1980..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19... 81.....

Complete application of the water to the proposed use shall be made on or before October 1, 19... 82.....

WITNESS my hand this 17th day of October , 19... 79.....

James E. Dixon
Water Resources Director