

Application No. 58191

Permit No. 44460

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

I, GORDON DAGUE

(Name of Applicant)

of 408 STONEWAY DR., SALEM

(Mailing Address)

(City)

State of OREGON, 97304 Phone No. 362-4815 do hereby

(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is WILLAMETTE RIVER
a tributary of COLUMBIA RIVER

2. The point of diversion is to be located 350 ft. N and 1050 ft. E
(N. or S.) (E. or W.)
from the W 1/4 corner of SECTION 28
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the SW 1/4 of the NW 1/4 of
Sec. 28 Tp. 7S R. 3W, W. M., in the county of POLK
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
<u>7S</u>	<u>3W</u>	<u>28</u>	<u>SW 1/4 NW 1/4</u>	<u>13.0</u>
			<u>NW 1/4 SW 1/4</u>	<u>4.0</u>
		<u>29</u>	<u>SE 1/4 NE 1/4</u>	<u>1.0</u>
			<u>NE 1/4 SE 1/4</u>	<u>8.0</u>
				<u>26.0</u>

4. The amount of water which the applicant intends to apply to beneficial use is 0.33

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is IRRIGATION

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

25 hp pump
1460' 5" mainline
1800' 3" lateral

or
50 hp pump to traveling big gun -

If for domestic use state number of families to be supplied..... —

7. Construction work will begin on or before.....

8. Construction work will be completed on or before..... completed

9. The water will be completely applied to the proposed use on or before..... Oct. 1, 1981

Application No. 58191

Permit No. 44460

Remarks: Wells under certificates GR-3876

AND GR-3877 HAVE BEEN ABANDONED AND
WILL BE CANCELED.

THIS APPLICATION PREPARED BY:
Don Buell
FROM INFORMATION FURNISHED BY
THE APPLICANT.

x Gordon Dague
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps
and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with
corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
18th day of DECEMBER, 19 78, at 9:19 o'clock
A.M.

Application No. 58191

Permit No. 44460

Application No. 58191

Permit No. 44460

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.33 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 18, 1978

Actual construction work shall begin on or before November 14, 1980 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

WITNESS my hand this 14th day of November, 1979

James E. Seaman
Water Resources Director

OK C