

Application No. 59002

Permit No. 44491

STATE OF OREGON WATER RESOURCES DEPARTMENT RECEIVED

Application for Permit to Appropriate Surface Water AUG 2 - 1979

WATER RESOURCES DEPT SALEM, OREGON

I, Mildred L. Peterson (Name of Applicant) of 5 Myrtle Rt Box 246-A (Mailing Address), Myrtle Creek (City), State of Oregon, 97457 (Zip Code), Phone No. 863-4887 do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is South Myrtle Creek and Louis Creek, a tributary of Myrtle Creek

2. The point of diversion is to be located ft. and ft. from the corner of (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

#1-440 feet North and 1140 feet E. from W 1/4 Cor. Sec. 23 being within SW 1/4 NW 1/4

#2-130 feet North and 335 feet East from W 1/4 Cor. Sec. 23

#3- 185 feet North and 895 feet East from W 1/4 Cor. Sec. 23 being within the 1/4 of the all within SW 1/4 NW 1/4

Sec. 23 Tp. 29S. R. 4W., W. M., in the county of Douglas

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Row 1: 29S., 4W., 23, SW 1/4 NW 1/4, Stock (15 cattle, 10 sheep, 150 chickens, 8 goats and 40 pigs)

4. The amount of water which the applicant intends to apply to beneficial use is0.01.....

cubic feet per second..... Any deficiency in supply from Louis Creek to come from South Myrtle
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied isstock.....

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Same system as used under Permit No. 39583

we will pump from Louis Creek to water stock until creek becomes to low. Then we pump from South Myrtle Creek to water stock with

If for domestic use state number of families to be supplied

7. Construction work will begin on or before..... Completed

8. Construction work will be completed on or before..... Completed

9. The water will be completely applied to the proposed use on or before..... Completed

Application No.59002.....

Permit No.44491.....

Remarks:.....

Legal Description filed under Application No. 53352

Mildred L. Atkeson
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... correction and completion

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before December 10, 19 79

WITNESS my hand this 10th day of October, 19 79

JAMES E. SEXSON Water Resources Director

By Wayne J. Overcash

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED
OCT 15 1979

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

2nd day of August, 19 79, at 11:00 o'clock A.M.

Application No. 59002

Permit No. 44491

Application No. 59002

Permit No. 44491

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Louis Creek with any deficiency in the available supply of water to be made up by diversion of water from the South Fork of Myrtle Creek

The use to which this water is to be applied is stock use

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 2, 1979

Actual construction work shall begin on or before November 14, 1980 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

WITNESS my hand this 14th day of November, 1979

James E. Seaman
Water Resources Director

RY 5