

STATE OF OREGON WATER RESOURCES DEPARTMENT
Application for Permit to Appropriate Surface Water

I, Louis H. E. Meyer (Name of Applicant)
of P.O. Box 582 (Mailing Address), Bandon (City)
State of Oregon (Zip Code) 97411, Phone No. 347-3798 do hereby
make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Ferry Creek
....., a tributary of Coguille River

2. The point of diversion is to be located 480 ft. N (N. or S.) and 280 ft. W (E. or W.)
from the E 1/4 corner of Sec. 32 (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

..... being within the NW 1/4 of the SE 1/4 of
Sec. 29 (N. or S.) Tp. 28S (E. or W.) R. 14W, W. M., in the county of Cook

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
<u>28S</u>	<u>14W</u>	<u>33</u>	<u>NW 1/4 SW 1/4</u>	<u>4.2</u> } <u>Cranberry</u>
			<u>NE 1/4 SW 1/4</u>	<u>2.2</u> } <u>bag S</u>
			<u>NW 1/4 SW 1/4</u>	<u>10.0</u> } <u>pasture</u>

4. The amount of water which the applicant intends to apply to beneficial use is ~~0.27~~ ~~1.27~~ ~~1.27~~ 1.27

cubic feet per second... being 0.16 cfs for cranberry irrigation, 0.99 cfs for temp control,
(If water is to be used from more than one source, give quantity from each)
0.33 cfs for cranberry harvesting, & 0.02 cfs for pasture irrigation

5. The use to which the water is to be applied is irrigation, temperature control, cranberry harvesting, & pasture irrigation

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

See file 42775

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before..... started

8. Construction work will be completed on or before..... Oct 1988

9. The water will be completely applied to the proposed use on or before..... Oct 1988

Application No. 58677

Permit No. 44582

Remarks:

THIS APPLICATION PREPARED BY:

[Handwritten Signature]

FROM INFORMATION FURNISHED BY THE APPLICANT.

[Handwritten Signature: Lowell S. Meyer]
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or beforeDecember 31....., 19..79.....

WITNESS my hand this29th..... day of.....October....., 19..79.....

.....James. E. Sexson..... Water Resources Director

By*[Handwritten Signature]*.....
WAYNE J. OVERCASH

RECEIVED
DEC 17 1979
WATER RESOURCES DEPT.
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
.....21st..... day ofMay....., 19..79....., at ..7:45... o'clock
.....A.M.....

Application No. 58677.....

Permit No. 44582.....

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.08 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Ferry Creek

The use to which this water is to be applied is irrigation, temperature control, and cranberry harvesting; being 0.18 cfs for irrigation, 0.96 cfs for temperature control, and 0.32 cfs for cranberry harvesting.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre feet per acre for each acre irrigated during the irrigation season of each year, for cranberries. If for the irrigation of any other crop, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 21, 1979

Actual construction work shall begin on or before January 9, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

WITNESS my hand this 9th day of January, 1980

James E. Larson
Water Resources Director