

Application No. 58807

Permit No. 44676

STATE OF OREGON WATER RESOURCES DEPARTMENT RECEIVED

Application for Permit to Appropriate Surface Water JUN 18 1979

WATER RESOURCES DEPT
SALEM, OREGON

I, THOMAS ORCHARDS, by W. B. Thomas

(Name of Applicant)

of P. O. Box 348 Kimberly

(Mailing Address)

(City)

State of Oregon, 97848 Phone No. 934-2230 do hereby

(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is North Fork John Day River

, a tributary of

2. The point of diversion is to be located 1945 ft. N. and 1050 ft. W.

(N. or S.)

(E. or W.)

from the SW corner of Sec. 30

(Public Land Survey Corner)

The second point is 1840' S. and 600' W. of

(If there is more than one point of diversion, each must be described)

The N.E. corner of Sec. 30

being within the NE ²⁶ $\frac{1}{4}$ of the SE $\frac{1}{4}$ of

Sec. 30 Tp. 9 S. R. [REDACTED] E., W.M., in the county of Grant

(N. or S.)

(E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
9 S.	26 E.	30	NE $\frac{1}{4}$ NE $\frac{1}{4}$	4.0
"	"	"	NW $\frac{1}{4}$ NE $\frac{1}{4}$	0.5
"	"	"	SE $\frac{1}{4}$ NE $\frac{1}{4}$	1.0
"	"	"	SW $\frac{1}{4}$ NE $\frac{1}{4}$	[REDACTED] 10
"	"	"	NW $\frac{1}{4}$ SE $\frac{1}{4}$	3.5
"	"	"	NE $\frac{1}{4}$ SW $\frac{1}{4}$	[REDACTED] 10
9 S.	26 E.	30	SE $\frac{1}{4}$ NW $\frac{1}{4}$	1.0
				<u>30 Total</u>

4. The amount of water which the applicant intends to apply to beneficial use is 1.175 cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is ... Irrigation.....

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system. —

.....60 HP electric pump with applicable irrigation line and sprinklers.

If for domestic use state number of families to be supplied NQNE

7. Construction work will begin on or before..... June 6, 1980.....

8. Construction work will be completed on or before Oct. 1, 1981

9. The water will be completely applied to the proposed use on or before Oct. 1, 1981.

Application No. 58807

Permit No. **44870**

44676

卷之三

Remarks:.....

THIS APPLICATION PREPARED BY:
Charles J. Coffelt 6-2-79
FROM INFORMATION FURNISHED BY
THE APPLICANT.

X W.B. Thomas

Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before February 21,....., 19 80.....

WITNESS my hand this 19th day of December , 19 79

RECEIVED
JAN 3 1980
WATER RESOURCES DEPT
SALEM, OREGON

..... James E. Sexson Water Resources Director

By *Donald R. Buell*
Donald R. Buell

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
18th day of December , 19 79, at 11:00 o'clock
A.M.

Application No..... *58807*

Permit No..... *44676*

1100

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.75..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, fromNorth Fork John Day River.....

The use to which this water is to be applied is.....irrigation.....

If for irrigation, this appropriation shall be limited to1/40th..... of one cubic foot per second or its equivalent for each acre irrigated.....and shall be further limited to a diversion of not...to exceed 5.0 acre feet per acre for each acre irrigated during the irrigation.....season of each year.....


and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit isJune 18, 1979.....

Actual construction work shall begin on or beforeFebruary 25, 1981..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.81.....

Complete application of the water to the proposed use shall be made on or before October 1, 19.82.....

WITNESS my hand this25th... day of.....February....., 19.80.....


Janet E. Larson
Water Resources Director

94K P