

SM-



Permit No.

STATE ENGINEER *APPLICATION FOR PERMIT
SALEM OREGON

To Appropriate the Public Waters of the State of Oregon

I, Immaha Sprinkler Association
(Name of applicant)
of Immaha
(Mailing address) 97842 (City)
(Zip Code)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is (see remarks section)
(Name of stream)

....., a tributary of Snake River

2. The amount of water which the applicant intends to apply to beneficial use is .506
cubic feet per second (see remarks for amounts from each source)
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the
(N. or S.) (E. or W.)
corner of
(Section or subdivision)

(see separate sheet)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec., Tp.
(Give smallest legal subdivision) (N. or S.)

R., W. M., in the county of
(E. or W.)

5. The (see separate sheet) to be
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the of Sec., Tp.
(Smallest legal subdivision) (N. or S.)

R., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works— (see separate sheet)

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(see separate sheet for pumping systems)
(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

44683

Canal System or Pipe Line— (see separate sheet for gravity systems)

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use (see separate sheet)

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated

(If more space required, attach separate sheet)

(a) Character of soil Silt loam to loam
 (b) Kind of crops raised ... Hay, grain, and pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
(Head)
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

RECEIVED

AUG 26 1974

STATE ENGINEER
SALEM, OREGON

Summary of Points of Diversion for New Water Rights

Item "4"

Point of Diversion # 1: ✓

1200' S and 1650' E of the NW Corner of Section 11, T. 1S, R. 48E.
Being in the NE₄ NW₄ of Section 11. Dunlap Creek.

Point of Diversion # 2:

2440' N and 2630' E of the SW Corner of Section 11, T. 1S, R. 48E,
Being in the NE₄ SW₄ of Section 11. Thorn Creek.

Point of Diversion # 3: ✓

900' S and 280' W of the NE Corner of Section 15, T. 1S, R. 48E.
Being in the NE₄ NE₄ of Section 15. Immaha River.

Point of Diversion # 4: ✓

780' N and 680' W of the SE Corner of Section 14, T. 1S, R. 48E.
Being in the SE₄ SE₄ of section 14. Loyd Creek.

Point of Diversion # 5:

950' S and 1500' E of the NW Corner of Section 23, T. 1S, R. 48E.
Being in the NE₄ NW₄ of Section 23. Immaha River.

Point of Diversion # 6: —

1550' S and 300' E of the NW Corner of Section 24, T. 1S, R. 48E. Being
in the SW₄ NW₄ of Section 24, Snell Creek.

Point of Diversion # 7:

2300' N 56° E of SE Corner of Section 23, T. 1S, R. 48E. Being in the
NE₄ SW₄ of Section 23. Immaha River.

Point of Diversion # 8: ✓

2400' N 87° E from SW Corner of Section 23, T. 1S, R. 48E. Being in
the SE₄ SW₄ of Section 23. Immaha River.

Application No. 49222

Permit No. 44683

Point of Diversion # 9: ✓

2260' S 63° E of the NW Corner of Section 26, T. 1S, R. 48E.
Being in the NE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 26. Imnaha River.

Point of Diversion # 10: ✓

1280' S and 2050' E of the NW Corner of Section 25, T. 1S, R. 48E.
Being in the NE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 25. Schleur Creek.

Point of Diversion # 11: ✓

3110' N $59^{\circ} 30'$ E of the SW Corner of Section 26, T. 1S, R. 48E.
Being in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26, Imnaha River.

Point of Diversion # 12: ✓

2750' N $75^{\circ} 15'$ E of the SW Corner of Section 26, T. 1S, R. 48E.
Being in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 26. Imnaha River.

Point of Diversion # 13: ✓

600' N and 1900' E of the SW Corner of Section 25, T. 1S, R. 48E.
Being in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 25. Adams Creek.

Point of Diversion # 14: ✓

900' S and 2350' W of the Ne Corner of Section 35, T. 1S, R. 48E.
Being in the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 35. Imnaha River.

Point of Diversion #15: ✓

250' S and 150' W of the NE Corner of Section 2, T. 2S, R. 48E.
Being in the NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 2. Blackmore Creek.

Application No. 49222
Permit No. 44683

AUG 20 1974

STATE ENGINEER
SALEM, OREGON

RECEIVED
MAY 7 1973

DESCRIPTION OF LAND TO BE IRRIGATED OR PLACE OF USE STATE ENGINEER
SALEM, OREGON

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼			
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼
1S	48E	14						1.8										
		15	1.5															
			(0.0825 cfs from Imnaha River at diversion point #3 for irrigation of above 3.3 acres)															
1S	48E	23					5.1	1.0	1.0									
			(0.13 cfs from Imnaha River at diversion point #5 for irrigation of above 7.1 acres)															
1S	48E	23									8.5	3.0						
			(0.29 cfs from Imnaha River at diversion point #7 for irrigation of above 11.5 acres)															
1S	48E	²⁶ 23					^{2.9} 2.7							12.1				
			(0.33 cfs from Imnaha River at diversion point #8 for irrigation of above 15.3 acres)															
1S	48E	26		7.0	2.0		12.5			5.0								
			(0.66 cfs from Imnaha River at diversion point #9 for irrigation of above 26.5 acres)															
1S	48E	26														1.0		
			(0.025 cfs from Imnaha River at diversion point #11 for irrigation of above 1.0 acre)															
1S	48E	26															2.5	
			(0.06 cfs from Imnaha River at diversion point #12 for irrigation of above 2.5 acres)															
1S	48E	35		9.0			1.0											
			(0.25 cfs from Imnaha River at diversion point #14 for irrigation of above 10.0 acres)															
1S	48E	10													2.0		4.0	
			(0.15 cfs from Dunlop Creek at diversion point #1 for irrigation of above 6.0 acres)															
1S	48E	11									6.0							
			(0.15 cfs from Thorn Creek at diversion point #2 for irrigation of above 6.0 acres)															
1S	48E	14											4.0				12.5	
			(0.12 cfs from Loyd Creek at diversion point #4 for irrigation of above 16.5 acres)															
1S	48E	23				12.0												
			(0.30 cfs from Snell Creek at diversion point #6 for irrigation of above 12.0 acres)															

Application No. 49222
Permit No. 44683

RECEIVED
MAY 7 1973

DESCRIPTION OF LAND TO BE IRRIGATED OR PLACE OF USE

STATE ENGINEER
SALEM, OREGON

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$			
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$
1S	48E	23															6.0	0.1
		25							2.0									
		26		7.0		9.5												
(0.62 cfs from Schleur Creek at diversion point #10 for irrigation of above 24.6 acres)																		
1S	48E	25										2.0	11.0					
		26													1.5		2.0	5.0
(0.54 cfs from Adams Creek at diversion point #13 for irrigation of above 21.5 acres)																		
1S	48E	35														1.0	7.0	
2S	48E	2		2.5														
(0.26 cfs from Blackmore Creek at diversion point #15 for irrigation of above 10.5 Ac)																		

Application No. 49222
Permit No. 44683

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

Immaha Sprinkler Assn
 (Signature of Applicant)
 by *Don Robertson* *Juanita E. Stillfield*
Sec-Treas

Remarks:

Item No. 1 Sources	Item No. 2 Amount	Acres
Immaha River	2.62 cfs	77.2
Dunlap Creek	0.15 cfs	6.0
Thorn Creek	0.15 cfs	6.0
Loyd Creek	0.42 cfs	16.5
Snell Creek	0.30 cfs	12.0
Schleur Creek	0.62 cfs	24.6
Adams Creek	0.54 cfs	21.5
Blackmore Creek	0.26 cfs	10.5
=====		=====
5.06 cfs total		174.3 acres total

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with

.....
 corrections on or before ~~October 10~~ ⁹²....., 19 ~~73~~ ⁷².....
~~May 9~~ ⁷⁸.....
~~July 10~~ ⁷⁸.....
 September 10, November 13, ~~74~~ ⁷⁸.....
~~11~~ ¹¹..... August ~~78~~ ⁷².....
 WITNESS my hand this ~~10th~~ ^{11th} day of ~~March~~ ^{March}, 19 ~~73~~ ⁷².....
~~10th~~ ^{11th}..... May ~~78~~ ⁷².....
~~10th~~ ^{11th}..... July ~~78~~ ⁷².....

RECEIVED

MAR 26 1979

STATE ENGINEER
WATER RESOURCES DEPT.
SALEM, OREGON

CHRIS L. WHEELER

STATE ENGINEER

By *Wayne J. Overcash*
 Wayne J. Overcash

ASSISTANT

RECEIVED

AUG 26 1974 JUL 8 1974
 STATE ENGINEER
 SALEM, OREGON

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 4.3 cubic feet per second measured at ^{***}the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Imnaha River, Dunlop Creek, Thorn Creek, Loyd Creek, Snell Creek, Schleur Creek, Adams Creek and Blackmore Creek, being 1.93 c.f.s. from Imnaha River, 0.15 c.f.s. from Dunlop Creek,

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4.0 acre feet per acre for each acre irrigated during the irrigation season of each year.

0.15 c.f.s. from Thorn Creek, 0.41 c.f.s. from Loyd Creek, 0.30 c.f.s. from Snell Creek, 0.62 c.f.s. from Schleur Creek, 0.54 c.f.s. from Adams Creek, and 0.26 c.f.s. from Blackmore Creek.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 26, 1979

Actual construction work shall begin on or before February 25, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982.

WITNESS my hand this 25th day of February 1980

James E. Sexson
James E. Sexson, Director

XXXXXXXXXXXX

PHYS

Application No. 44683
Permit No. 44683

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23 day of May, 1979, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of _____ Permits on page _____

STATE ENGINEER

Drainage Basin No. 8 page 12622
3425
Fees _____