

STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIVED  
OCT - 8 1979  
WATER RESOURCES DEPT  
SALEM, OREGON

Application for Permit to Appropriate Surface Water

I, JANE PORTER  
(Name of Applicant)

of Box one, TILLER  
(Mailing Address) (City)

State of OREGON, 97181 Phone No. 825-3868  
(Zip Code)

do hereby make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is #1 ELK CR.  
#2 SALT CR.  
#3 S. UMPQUA R. (supplemental)  
#1 S. UMPQUA R.  
#2 S. UMPQUA R.  
#3 UMPQUA R.  
a tributary of #1 N 210 E  
#2 N 130 E  
#3 S 700 ft. (E. or W.)

2. The point of diversion is to be located #1 915 ft.  
#2 770 ft.  
#3 1060 ft. and 210 ft.  
130 ft.  
700 ft. (E. or W.)  
from the #1 center  
#2 SW  
#3 N 1/4 corner of #1 SEC 33  
#2 SEC 33  
#3 SEC 33 (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the #1 SW  
#2 SE  
#3 NE 1/4 of the NE  
NE  
NW 1/4 of  
Sec. #1 33  
#2 33  
#3 33 Tp. 30 S R. 2 W, W. M., in the county of DOUGLAS  
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
30S	ZW	33	SW NE	50
			NE NW	120
				<u>170</u>

4. The amount of water which the applicant intends to apply to beneficial use is .....  
cubic feet per second. #1 - .06 #2 - .15 #3 - .15 (supplemental)  
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is ..... Irrigation & supplemental  
irrigation.....

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Div.#1 - Elk Creek. 3/4 hp motor using 1 1/2" pipe for intake & out  
for garden & lawn. Intake pipe to lay in free flowing creek, no dam.

Div.#2 - Gravity flow on present 2" pipe line.

Div.#3 - South Umpqua river. 1 1/2 hp motor with 1 1/2" pipe for intake  
& output. No dam, pipe to lay in free flow of water during spring  
& summer months only.

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before..... Oct 1 1979

8. Construction work will be completed on or before..... Oct 1 1980

9. The water will be completely applied to the proposed use on or before..... Oct 1 1981

Application No. 59385-

Permit No. 44699

Remarks: Div #3 is to be supplemental to Div #2  
FOR 12<sup>0</sup> acres

x Jane Porter  
Signature of Applicant  
By ONE Hiller, Jr 97484

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before ....., 19.....

WITNESS my hand this ..... day of....., 19.....

..... Water Resources Director

By .....

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

2<sup>ND</sup> day of October, 1979, at 8:00 o'clock  
A.M.

Application No. 59385

Permit No. 44699

11000

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.21 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Elk Creek, Salt Creek and South Umpqua River

The use to which this water is to be applied is irrigation, being 0.06 c.f.s. from Elk Creek, 0.15 c.f.s. from Salt Creek with any deficiency in the available supply from Salt Creek to be made up by diversion from the South Umpqua River

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 2, 1979

Actual construction work shall begin on or before February 25, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1981

Complete application of the water to the proposed use shall be made on or before October 1, 1982

WITNESS my hand this 25th day of February, 1980

James E. Seaman
Water Resources Director

RAY A