

Application No. 58810

Permit No. 44725

STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIVED

Application for Permit to Appropriate Surface Water

JUN 19 1979

WATER RESOURCES DEPT SALEM, OREGON

I, RALPH HOWELL

(Name of Applicant)

of 11998 TOWERS RD. S.E.

(Mailing Address)

STAYTON

(City)

State of OREGON

97383 (Zip Code)

Phone No. 769-7281

do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is an unnamed stream and North Santiam River and Reservoir, a tributary of Santiam River

UNN. STR 600 N.S.R.

440

2. The point of diversion is to be located 1040 ft. S and 1550 ft. E

(N. or S.)

(E. or W.)

from the N.W. corner of NE 1/4 NE 1/4 Sec 21, T9S, R1E, W1M.

(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

UNN. STR N.E. N.E. N.S.R N.W. 1/4 of the NW 1/4 of

Sec. 22 Tp. 9S R. 1E, W. M., in the county of Marion

(N. or S.)

(E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Includes handwritten entries for Township 9S, Range 1E, Section 21, and irrigation details.

4. The amount of water which the applicant intends to apply to beneficial use is 0.03
cubic feet per second... being 0.01 from unnamed stream and
0.02 from North Santiam River
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is irrigation and recreation
being 0.01 cfs for irrigation from an unn. str. and
0.02 cfs from N. Santiam River for recreation

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

There is an open ditch from the river to the reservoir site. At one point there is a fill across the ditch with some tile pipe through the fill. This provides a means of controlling the flow into the reservoir.

There is a small pump on the unnamed stream to be used for irrigation.

If for domestic use state number of families to be supplied

7. Construction work will begin on or before completed

8. Construction work will be completed on or before completed

9. The water will be completely applied to the proposed use on or before completed


Application No. 58810

Permit No. 44725

44725

Remarks:.....

.....
.....
.....
.....
.....
.....
.....
.....

x 
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

..... 19th day of June, 19 79, at 8:00 o'clock
..... A.M.

Application No. 58810

Permit No. 44725

44725

Application No. 58810

Permit No. 44725

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream, the North Santiam River, and reservoir to be constructed under Application No. R-58809. Permit No. R-8099 R-8099

The use to which this water is to be applied is irrigation and recreation, being 0.01 c.f.s. from the unnamed stream for irrigation and 0.02 c.f.s. from the North Santiam River for recreation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 19, 1979

Actual construction work shall begin on or before April 9, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 9th day of April, 1980

James E. Larson Water Resources Director

BY 5