

Application No. 59432

Permit No. 44752

RECEIVED FEB 27 1980 WATER RESOURCES DEPT SALEM, OREGON

RECEIVED

STATE OF OREGON WATER RESOURCES DEPARTMENT Application for Permit to Appropriate Surface Water OCT 17 1979

WATER RESOURCES DEPT SALEM, OREGON

Donald B Martin

(Name of Applicant)

RT 1 Box 176

(Mailing Address)

Halfway

(City)

State of Oregon 97834 Phone No. 503-742-4282 do hereby

(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Spring

a tributary of Dry Creek

2. The point of diversion is to be located 600' ft. North and 1140' ft. East

(N. or S.)

(E. or W.)

from the 1/4 corner of S 26 - S 25 T-7S R-46E

(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the S-W 1/4 of the N-W 1/4 of

Sec. 25 Tp. 7-S R. 46-E, W.M., in the county of Baker

(N. or S.)

(E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Includes handwritten entries for Township 7-S, Range 46-E, Section 25 with irrigation details like 'Supplemental 9 acres', 'Domestic use - 2 houses', 'Stock for one house', and 'Domestic for one house'.

4. The amount of water which the applicant intends to apply to beneficial use is 0.325

cubic feet per second avg. of 9 ams. 225 C.F. for irrigation domestic .005 C.F. per sec. Stock water .005 C.F. per sec.  
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Domestic and irrigation and stockwater

6.

#### DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Pond will be approx 6' x 7' deep to hold 5' of water and about 100' in diameter. Small ditch approx 300' long piped across creek to pond. The pump is a 6 HP diesel on wheels with a 4" intake and a 6" outlet. The main line is a 6" with 4" line for laterals. One lateral line would be used with approx 15' sprinkler head. 1 or 2 water troughs which will water as high as 40-50 cows at different times and possible a few horses in the corrals.

If for domestic use state number of families to be supplied 2

7. Construction work will begin on or before Oct. 1, 1980

8. Construction work will be completed on or before Oct. 1, 1981

9. The water will be completely applied to the proposed use on or before Oct. 1, 1982

Application No. 59432

Permit No. 44752

44752

Remarks:

Pumping Pond

Donald B. Martin

Signature of Applicant


Rt. 1 Box 176 Halsway, Ore.  
97834

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before ...April 21....., 19..80.....

WITNESS my hand this ...19th..... day of.....February....., 19..80.....

James E. Sexson..... Water Resources Director

By   
Ralph H. Jackson

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

19th day of October

1979

at 11:00 o'clock

A.M.

Application No. 59432

Permit No. 44752

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.245 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic use for two families, stock, and supplemental irrigation, being 0.01 c.f.s. for domestic use, 0.01 c.f.s. for stock, and 0.225 c.f.s. for supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 17, 1979

Actual construction work shall begin on or before April 9, 1981 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Extended to Oct. 1, 1983

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 9th day of April, 1980

Signature of James E. Luman, Water Resources Director

244 A