

Application No. 58751

Permit No. 44797

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED JUN 6 1979 WATER RESOURCES DEPT. SALEM, OREGON

I, Joseph W. Davis (Name of Applicant)

of 3000 S.W. Riverfront Terrace (Mailing Address) Wilsonville (City)

State of Oregon (Zip Code) 97070 Phone No. 682-2179

hereby make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Willamette River, a tributary of Columbia River

2. The point of diversion is to be located 2128 ft. South (N. or S.) and 1375 ft. East (E. or W.) from the N 1/4 corner of Section 20 - T3S R1E (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the S E 1/4 of the NE 1/4 of Sec. 20 Tp. 3S R. 1E, W. M., in the county of Clackamas

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Includes entries for Township 3S, Range R1E, Section 20, with specific quarter-section descriptions and acreage.

4. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second..... Max. 30 gallons per Minute
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Lawn Sprinkling

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Sprinkling an area of lawn approximately 150'x150', with a
1 1/4" pipeline coming for a 1 H.P. pump at the river. Pipe
size will be reduced to 1" and 3/4" at the lateral extremities
from the 1 1/4" main line.

If for domestic use state number of families to be supplied

7. Construction work will begin on or before..... ~~Date of approval~~ Started (for)
8. Construction work will be completed on or before..... 1 week thereafter - Completed
9. The water will be completely applied to the proposed use on or before..... ~~1 week thereafter~~ August 1980

Application No. 58751

Permit No. 44797

Remarks:.....

.....
.....
.....
.....
.....
.....
.....
.....

Joseph W. Davis
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or beforeFebruary 11....., 19..80.....
April 7

WITNESS my hand this ...10th... day of...December...-1979-
6th February 1980
James E. Sexson Water Resources Director

By *Wayne J. Overcash*
Wayne J. Overcash

RECEIVED
JAN 9 1980
WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED
APR 6 1980
WATER RESOURCES DEPT.
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 6th day of June, 1979, at 11:00 o'clock A.M.

Application No. 58751

Permit No. 44797

3301

Application No. 58751

Permit No. 44797

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.013 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 6, 1979

Actual construction work shall begin on or before May 21, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 21st day of May, 1980

James E. Lenson
Water Resources Director
RHX C