

Permit No. _____

44808

ATTACHMENT EIVED

Application for Permit to Appropriate Surface Water

WATER RESOURCES DEPT
SALEM, OREGON

(Name of Applicant)

(Mailing Address)

(Zip Code)

(N. or S.)

(Public Land Survey Corner)

(N. or S.)

(E. or W.)

[illegible]

4. The amount of water which the applicant intends to apply to beneficial use is 0.41
cubic feet per second..... being 0.40 C.F.S. for manufacturing 0.01 C.F.S. for
maintenance of fire equipment. (If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is manufacturing at mill and maint-
enance of fire protection equipment.

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

In order to have adequate water supply to operate our new facilities, we must divert
from Willamina Creek .41 CFS of water. The new facilities consist of a veneer mill,
small log mill and a 60,000 PPH boiler (hog fuel fired). We propose to install a
2" diameter intake pipe approximately 12' vertical lift and 20' horizontal to a
10 HP-10,000 GPH pump which will pump the water to a filtering system for silt
removal, etc. and from the filtering system distributor to the boiler for make-up
water, veneer mill and small log mill for maintenance of fire protection.

If for domestic use state number of families to be supplied

7. Construction work will begin on or before May 30, 1980

8. Construction work will be completed on or before June 30, 1980

9. The water will be completely applied to the proposed use on or before July 15, 1980

Application No. 5-9689

Permit No. 44808

44808

Remarks: This is an addition to our Certificate of Water Right dated February 28, 1979. The reason for application for increased water rights is due to construction of a new veneer mill and a small log mill. Manufacturing will consist of producing plywood veneer and dimension lumber.

Willamina Lumber Company
Signature of Applicant

Tom Schmit, Vice President

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... completion

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or beforeJune 17,....., 19.80.....

WITNESS my hand this17..... day of.....April....., 19..80.....

James E. Sexson... Water Resources Director

By

Wayne J. Overcash

RECEIVED
MAY 31 1980
WATER RESOURCES DEPT
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

7th day of January, 19.80, at 8:00 o'clock
A.M.

Application No. 59689

Permit No. 44808

44808

Application No. 59689

Permit No. 44808

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same **SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.41 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamina Creek

The use to which this water is to be applied is manufacturing at veneer and log mills and maintenance of fire protection equipment being 0.4 cfs for manufacturing and 0.01 cfs for maintenance of fire protection equipment

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated


and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 7, 1980

Actual construction work shall begin on or before May 21, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 21st day of May, 1980


Water Resources Director

RLX A