

Application No. 00102

Permit No. 44861

ASSIGNED, See Misc. Rec., Vol. 6 Page 270

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

I, Charles W De Fay

(Name of Applicant)

P.O. Box 1355

(Mailing Address)

Carlton

(City)

State of Ore, 97111

(Zip Code)

Phone No. 852 6013

do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is un-named stream, a tributary of Wilson River

2. The point of diversion is to be located 690 ft. S and 380 ft. E

(N. or S.)

(E. or W.)

from the NE corner of Section 18

(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the N.E. 1/4 of the N.E. 1/4 of Sec. 18 Tp. 1 S. R. 8 W., W. M., in the county of Tillamook

(N. or S.)

(E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section		List use and/or number of acres to be irrigated
1 S.	8 W.	18	N.E.	N.E.	Domestic & Irr. DOM. incl. 1/2 A. 1919

4. The amount of water which the applicant intends to apply to beneficial use is 0.01

cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is DOM. INCL. 1/2 A. L & G.

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

1" line gravity to house

If for domestic use state number of families to be supplied 1

7. Construction work will begin on or before Completed

8. Construction work will be completed on or before Completed

9. The water will be completely applied to the proposed use on or before Completed

Application No. 60102

Permit No. 44861

1980

Remarks:.....

.....
.....
.....
.....
.....
.....
.....

Charles W De Jay
5-5-80
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
6 day of May, 19 80, at 11:00 o'clock
A.M.

Application No. 60102

Permit No. 44861

13804

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.01..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, fromunnamed stream.....

The use to which this water is to be applied isdomestic use for one family including..... irrigation of not to exceed 1/2 acre lawn and non-commercial garden.....

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit isMay 6, 1980.....

Actual construction work shall begin on or before.....June 16, 1981..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19..82.....

Complete application of the water to the proposed use shall be made on or before October 1, 19..83.....

WITNESS my hand this16th... day of.....June....., 19..80.....

James E. Saxon
Water Resources Director

Rat 5