

Application No. 58891

Permit No. 44935

STATE OF OREGON WATER RESOURCES DEPARTMENT RECEIVED

Application for Permit to Appropriate Surface Water JUL 10 1979

WATER RESOURCES DEPT
SALEM, OREGON

I, Leon Douglas Colgan (Name of Applicant)

of Rt. 2, Box 7 (Mailing Address) Alsea (City)

State of Oregon 97324 (Zip Code) Phone No. Alsea 487-5684

do hereby make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is The Alsea River, a tributary of

2. The point of diversion is to be located 930 ft. S and 780 ft. E from the N.W. corner of D.L.C. No. 41 (Public Land Survey Corner)

Or from the center line of the existing Covered Bridge west the same distances as given above.

being within the S.W. 1/4 of the N.W. 1/4 of Sec. 2 Tp. 14 S R. 8 W, W. M., in the county of Benton.

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
14 S	8 W	2	SW 1/4 of NW 1/4	one acre
14 S	8 W	2	NW 1/4 of SW 1/4	four acres

4. The amount of water which the applicant intends to apply to beneficial use is 5/80 ths

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is for irrigation our lawn, garden and pasture.

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

We plan to put a five horsepower electric pump in the river at approximately the above given location. The pump will be for summer (low river water) use only to water our lawn, garden and pasture.

The pump will have a 3 inch outlet to a 3 inch mainline with 3 inch lateral lines for the pasture. The lawn and garden will be 1 1/2 inch buried line.

Mainline will be approximately 500 feet long. Lateral lines will be approximately 600 feet long. There will be only one lateral line in use at any one time with no more than 12 sprinklers on it.

The above is contingent on our purchasing a 5 HP electric pump. We at present have a 12 HP gasoline pump that of course will not put out the quantity of water that we are after as a final result.

I believe that we have a small portion of our property in the S.W. 1/4 of the N.W. 1/4 of T.14 S. section 2 R. 8 W. This is why I included an acre in the permit application. It is hard for me to determine for sure if this is the case. I hope that you can verify this for me.

Thank you in advance for the consideration.

If for domestic use state number of families to be supplied..... This is for one family only

7. Construction work will begin on or before..... July 1, 1979

8. Construction work will be completed on or before..... July 15, 1979

9. The water will be completely applied to the proposed use on or before..... July 15, 1979

Application No. 58891

Permit No. 44935

Remarks: We intend to use the above mentioned gasoline pump to irrigate our garden and lawn until we can find an electric pump and pipe to complete our installation. The gasoline pump will run two or three 5 GPM sprinklers or maybe more. I do not know its capacity but believe it to be around 20 GPM at maybe 100 PSI. As mentioned above we intend to install an electric pump but may not get this done this first year due to availability of pumps.

Leon Douglas Colgan
Signature of Applicant
Leon Douglas Colgan

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before May 12, 1980

WITNESS my hand this 12th day of March, 1980

James E. Sexson Water Resources Director

By *Wayne J. Overcash*
WAYNE J. OVERCASH

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

10th day of July, 1979, at 11:00 o'clock A.M.

Application No. 58891

Permit No. 44935

Application No. 58891

Permit No. 44935

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Alsea River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 10, 1979

Actual construction work shall begin on or before July 14, 1981 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Extended to Oct. 1, 1983

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 14th day of July, 1980

James E. Seaman
Water Resources Director