

Application No.....

ASSIGNED, See Misc. Rec., Vol.

59947

6 Page 1135

Permit No.....

44948

STATE OF OREGON WATER RESOURCES DEPARTMENT
RECEIVED

Application for Permit to Appropriate Surface Water APR 8 1980

WATER RESOURCES DEPT.

SALEM, OREGON

Netarts Bay Water District

(Name of Applicant)

of 6785 Whiskey Creek Road W., Netarts, Ore. 97143

(City)

State of Oregon, Phone No. 842-6740 do hereby

(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Fall Creek

, a tributary of empty's into Pacific Ocean

2. The point of diversion is to be located 1879 ft. N and 1305 ft. E

(N. or S.)

(E. or W.)

from the S.W. corner of Sec. 29

(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the NW ¼ of the SW ¼ of
Sec. 29 Tp. 15 R. 10 W., W.M., in the county of Tillamook

(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List ¼ ¼ of Section	List use and/or number of acres to be irrigated
25	10 W. K.N.	5	NE ¼ SE ¼	—
"	"	5	S ½ SE ¼	—
"	"	4	SW ¼ SW ¼	—
"	"	9	NW ¼ NW ¼	—
"	"	8	NW ¼ NE ¼	—
"	"	8	E ½ E ½	—
"	"	17	E ½ NE ¼	—
"	"	17	SE ¼	—
"	"	17	SE ¼ SW ¼	—
"	"	20	NW ¼	—
	"	20	NW ¼ NE ¼	—

4. The amount of water which the applicant intends to apply to beneficial use is *EK* 027.062
cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is *Domestic*

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Gravity system throughout.

Water line from intake to filtration plant.....

Water line from filtration plant to meter.....

on east side at Netarts on Old Netarts Road.....

From the meter it goes into the 6" water line

of the Netarts Bay water system to the junction of
Old Netarts Road & Whiskey Creek Road 4" branches to

Spruce Glen subdivision & Champagne Lane, then a 4"

line to the junction of Whiskey Creek Road & the Netarts

Bay Road, a 4" line North approximately $\frac{3}{4}$ mile; a 4"

line south 2 miles serving Bourbon Place and other

dwellings on the east side of Netarts Bay.....

If for domestic use state number of families to be supplied..... *62*

7. Construction work will begin on or before.....

April 8, 1980

8. Construction work will be completed on or before.....

April 8, 1980

9. The water will be completely applied to the proposed use on or before.....

Application No. *59947*

Permit No. *44948*

Remarks:.....

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

.....
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before , 19.....

WITNESS my hand this day of, 19.....

Water Resources Director

By
.....

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
8th day of April, 1980, at 8:00 o'clock
A.M.

Application No. 39947

Permit No. 44948

44948

विद्या

Application No. 59947

Permit No. 44948

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.062 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Fall Creek

The use to which this water is to be applied is group domestic use for 62 families

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated


and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 8, 1980

Actual construction work shall begin on or before August 25, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 25th day of August , 1980


James E. Seyar
Water Resources Director

RHJ