

Application No. 60513

Permit No. 45007

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

I, City of Prairie City

(Name of Applicant)

of P.O. Box 342

(Mailing Address)

Prairie City

(City)

State of Oregon

97869

(Zip Code)

Phone No. 820-3605

do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is city sewage lagoons - municipal waste

water, a tributary of n/a

2. The point of diversion is to be located 552 ft. S and 395 ft. E

(N. or S.)

(E. or W.)

from the NW corner of S8, T13S, R33E, W.M.

(Public Land Survey Corner)

1205 ft. south and 500 ft. east from the northwest corner of S8, T13S, R33E, W.M.

(If there is more than one point of diversion, each must be described)

1875' South and 595 ft. east from the northwest corner of S8, T13S, R33E, W.M.

NW (pt #1)

being within the NW (pt #2) $\frac{1}{4}$ of the NW $\frac{1}{4}$ of

SW (pt #3)

Sec. 8 Tp. 13S R. 33E, W. M., in the county of Grant

(N. or S.)

(E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
13S	33E	8	NE $\frac{1}{4}$ NW $\frac{1}{4}$	27.7
13S	33E	8	SE $\frac{1}{4}$ NW $\frac{1}{4}$	23.3
				51.0

4. The amount of water which the applicant intends to apply to beneficial use is 1.12 cfs (500 gpm)
cubic feet per second. Diversion from 3 lagoons in various combinations total at any one time will
be 1.12 cfs.
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is irrigation of animal crop, initially alfalfa,
to dispose of sewage effluent

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

3 sewage lagoons of approximately 8 acres each, concrete and wood headgates, 8" gravity
supply lines: 680' cell #3, 1250 ft, cell #2, 2060' cell #1 to a 25 hp standard centrifugal
pump, irrigation to be by an 1190' center pivot system, supplied by 1630' of 12" chlorination
detention main, from the pump to the center pivot

If for domestic use state number of families to be supplied n/a

7. Construction work will begin on or before tentative schedule spring 1981

8. Construction work will be completed on or before spring 1982

9. The water will be completely applied to the proposed use on or before spring 1982


Application No. 60513

Permit No. 45007

72000

Remarks:.....

.....
.....
.....
.....
.....
.....
.....
.....


Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

18 day of August, 1980, at 11:00 o'clock
A.M.

Application No. 60513

Permit No. 45007

12003

Application No. 60513

Permit No. 45007

Permit to Appropriate the Public Waters of the State of Oregon

12005

This is to certify that I have examined the foregoing application and do hereby grant the same **SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.12 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from municipal waste water and 3 lagoons to be constructed under application No. R-60512, permit No. R-8164

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4.0 acre feet per acre for each acre irrigated during the irrigation season of each year

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 18, 1980

Actual construction work shall begin on or before September 9, 1981 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Extended to Oct. 1, 1984

Complete application of the water to the proposed use shall be made on or before October 1, 1983

Extended to Oct. 1, 1984

WITNESS my hand this 9th day of September, 1980

Water Resources Director