

Application No. 60599

Permit No. 45011

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED

SEP 8 1980

WATER RESOURCES DEPT.
SALEM, OREGON

I, Amos Fry
(Name of Applicant)

of 26400 Sandlake Road, Cloverdale
(Mailing Address) (City)

State of Oregon, 97112 Phone No. 503-965-6672 do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is a spring
Sandlake
a tributary of Sandlake

2. The point of diversion is to be located 2000 ft. S and 2220 ft. W
(N. or S.) (E. or W.)
from the NE corner of Section 29
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the SW 1/4 of the NE 1/4 of
Sec. 29 Tp. 3S R. 10W, W. M., in the county of TILLAMOOK
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
3S	10W	29	SW of NE	domestic

4. The amount of water which the applicant intends to apply to beneficial use is 0.005

cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is domestic use for 1 family

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Spring- Has a homemade cement storage tile approximately 4½ feet in diameter and approximately 4 feet high with a 4 inch pipe from spring to supply tank... tile. And has a pipe from the tile tank down the hill to the buildings... This was made in 1954.

If for domestic use state number of families to be supplied 1 family

7. Construction work will begin on or before complete

8. Construction work will be completed on or before complete

9. The water will be completely applied to the proposed use on or before... complete

Application No. 60511

Permit No. 45011

RECEIVED

1954

Remarks:.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

Amos Fry
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 28th day of July, 19 80, at 8:46 o'clock M.

Application No. 60599

Permit No. 45011

72011

Application No. 60599

Permit No. 45011

pc

Permit to Appropriate the Public Waters of the State of Oregon

42011

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic use of one family

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 28, 1980

Actual construction work shall begin on or before September 19, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 19th day of September, 1980

[Signature]
Water Resources Director

RH 5