

Application No. 60275

Permit No. 45095

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED

JUN 18 1980

WATER RESOURCES DEPT
SALEM, OREGON

I, C. E. Jones
(Name of Applicant)

of Rt. 3 Box 526, Corvallis
(Mailing Address) (City)

State of Oregon, 97330 Phone No. 753-3956 do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Booneville Slough

....., a tributary of Willamette River

2. The point of diversion is to be located (1) 900 S 2620 E
(2) 2000 S 2500 E ft. (N. or S.) and ft. (E. or W.)

from the NW corner of Section 23
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

..... being within (1) NE NW
(2) SE $\frac{1}{4}$ of the NW $\frac{1}{4}$ of

Sec. 23 Tp. 12S R. 5W, W. M., in the county of Benton
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
<u>12S</u>	<u>5W</u>	<u>23</u>	<u>NW$\frac{1}{4}$ NE$\frac{1}{4}$</u>	<u>15.2</u>
			<u>SW$\frac{1}{4}$ NE$\frac{1}{4}$</u>	<u>4.2</u>
			<u>NE$\frac{1}{4}$ NW$\frac{1}{4}$</u>	<u>14.1</u>
			<u>NW$\frac{1}{4}$ NW$\frac{1}{4}$</u>	<u>3.2</u>
			<u>SW$\frac{1}{4}$ NW$\frac{1}{4}$</u>	<u>0.9</u>
			<u>SE$\frac{1}{4}$ NW$\frac{1}{4}$</u>	<u>4.6</u>
				<u>—————</u>
				<u>42.2</u>

4. The amount of water which the applicant intends to apply to beneficial use is 0.53

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Irrigation

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Dvert water from two points on slough
Northerly pod: 10 hp pump - up to 20 sprinklers
Southerly pod: 15 hp pump - up to 50 sprinklers
2800' mainline
2800' laterals

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before.....

8. Construction work will be completed on or before.....

9. The water will be completely applied to the proposed use on or before.....

Completed

Application No. 60275

Permit No. 45095

Remarks:.....
.....
.....
.....
.....

THIS APPLICATION PREPARED BY:
A Jackson
FROM INFORMATION FURNISHED BY
THE APPLICANT.

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

Signature of Applicant
C E Jones

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
18th day of *June*, 19 *80*, at *1:47* o'clock
P.M.

Application No. *60275*

Permit No. *15095*

Application No. 60275

Permit No. 45095

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.53 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Booneville Slough, tributary of Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 18, 1980

Actual construction work shall begin on or before October 14, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 14th day of October, 1980

Signature of Deputy Water Resources Director