

RECEIVED
 JUN 28 1980
 WATER RESOURCES DEPT.
 OF SALEM, OREGON

STATE OF OREGON WATER RESOURCES DEPARTMENT
Application for Permit to Appropriate Surface Water

Name of Applicant: Camille C Thompson
 Mailing Address: Rt 2 Box 481 Mc Minnville
 State of Oregon, Zip Code 97128 Phone No. 472-9026

do hereby make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Mc Call Spring and
unname stream, a tributary of Panther Creek

2. The point of diversion is to be located 1350 ft. S and 330 ft. E
 from the N.W. corner of sect 1
stream 1400 ft south and 210 East
 from N.W. Corner Section 1

being within the S.W. $\frac{1}{4}$ of the N.W. $\frac{1}{4}$ of
 Sec. sect 1 Tp. 4 S R. 5 W, W. M., in the county of Yamhill

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
<u>4 S.</u>	<u>5 W</u>	<u>sect 1</u>	<u>S.W. $\frac{1}{4}$ N.W. $\frac{1}{4}$</u>	<u>7.2 (stream)</u>
			<u>S.W. $\frac{1}{4}$ N.W. $\frac{1}{4}$</u>	<u>6.3 (spring)</u>
			<u>N.W. $\frac{1}{4}$ S.W. $\frac{1}{4}$</u>	<u>5.9 (spring)</u>
			<u>N.W. $\frac{1}{4}$ S.W. $\frac{1}{4}$</u>	<u>stock (spring)</u>

Form 690-1-0-1-77

\$20.00 EXAM FEES
 \$10.00 REC. (KRI)
 \$15.00 REC (stock)
 \$45.00 total

Part Assigned
 See Minn. Rec., Vol. 8 Page 160

4. The amount of water which the applicant intends to apply to beneficial use is 0.245

cubic feet per second. being 0.09 cfs from stream for irrigation
(If water is to be used from more than one source, give quantity from each)
0.15 cfs from spring for irrigation
0.005 cfs from spring for stock

5. The use to which the water is to be applied is irrigation and stock water

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

For North section of land - we flood irrigate using various sizes of hose and pipe. Using 3 or 4 in pipe graduating down to regular garden hose, attaching sprinklers where indicated.
For the part of land just north of the house approx five acres, in front of the house East and the land that lays south of the existing residence - we use regular garden hose and sprinklers and soakers to irrigate land.

If for domestic use state number of families to be supplied

7. Construction work will begin on or before Completed

8. Construction work will be completed on or before Completed

9. The water will be completely applied to the proposed use on or before Completed

Remarks:

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Signature of Applicant
Camille C. Thompson

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
23RD day of *June*, 19*80*, at *11:06* o'clock

A M.

Application No. *60286*

Permit No. *45097*

11093

Application No. 60286

Permit No. 45097

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.245 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from McCall spring and unnamed stream; being 0.09 cfs from the unnamed stream for irrigation; 0.15 cfs from McCall spring for irrigation and 0.005 cfs from McCall spring for stockwater.

The use to which this water is to be applied is irrigation and stockwater.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 23, 1980

Actual construction work shall begin on or before October 14, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 14th day of October, 1980

Chris K. ...
DEPUTY Water Resources Director