

Application No. 60327

Permit No. 45127

**STATE OF OREGON WATER RESOURCES DEPARTMENT**

**Application for Permit to Appropriate Surface Water**

**RECEIVED**  
 JUL 8 1980  
 WATER RESOURCES DEPT  
 SALEM, OREGON

We, Kenneth L. and Karen L. Tuttle  
(Name of Applicant)

of Route 5, Box 1310, Klamath Falls,  
(Mailing Address) (City)

State of Oregon, 97601 Phone No. (503) 884-4224 do hereby  
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is two springs

Williamson River  
 a tributary of Williamson River

2. The point of diversion is to be located #1=800 ft. N and #2=1260 ft. E  
#1=SW #1= Section 14 (N. or S.) #2=SW (E. or W.)  
 from the #2=SW corner of #2= Section 11, T.34 S., R.7 E., W.M.  
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the #1=SW #2=SW #2=SW  $\frac{1}{4}$  of the #2=SW  $\frac{1}{4}$  of  
#1= 14  
 Sec. #2= 11 Tp. 34 S. R. 7 E., W.M., in the county of Klamath  
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated	
34 S.	7 E.	14	NW $\frac{1}{4}$ -SW $\frac{1}{4}$	Spring #1	Spring #2
				16.0 Ac.	
		15	NE $\frac{1}{4}$ -SE $\frac{1}{4}$		18.0
			Lot 11		6.0
			SW $\frac{1}{4}$ -SE $\frac{1}{4}$	1.0 Ac.	23.0
			SE $\frac{1}{4}$ -SE $\frac{1}{4}$	1.3	8.8
			Lot 9		11.1
		22	NE $\frac{1}{4}$ -NE $\frac{1}{4}$	35.4	
			NW $\frac{1}{4}$ -NE $\frac{1}{4}$	11.2	1.8
			Lot 1		4.0
		23	NW $\frac{1}{4}$ -NW $\frac{1}{4}$	7.9	
				56.8 Ac.	88.7 Ac.

4. The amount of water which the applicant intends to apply to beneficial use is 3.64  
cubic feet per second. Spring #1 = 1.42 c.f.s.; Spring #2 = 2.22 c.f.s.  
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Irrigation

6.

*DESCRIPTION OF WORKS*

*Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.*

The same works will be used as shown on Certificate No. 42748.

Descriptions of Springs #1 and #2 were submitted under that Certificate.

*If for domestic use state number of families to be supplied*

7. Construction work will begin on or before Construction already started

8. Construction work will be completed on or before October 1, 1983

9. The water will be completely applied to the proposed use on or before October 1, 1984

Application No. 60327

Permit No. 45127

Remarks: Portions of adjacent land already irrigated under

Certificate No. 42748

*Kenneth L. Tuttle*  
Signature of Applicant  
*Kenneth L. Tuttle*

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before , 19.

WITNESS my hand this day of, 19.

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

8<sup>th</sup> day of July, 1980, at 8:00 o'clock

A.M.

Application No. 60327

Permit No. 45127

Application No. 60327

Permit No. 45127

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.64 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from two springs; being 1.42 cfs from spring No. 1 and 2.22 cfs from spring No. 2.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 8, 1980

Actual construction work shall begin on or before October 14, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 14th day of October, 1980

Handwritten signature of Deputy Water Resources Director