

Application No. 60227

Permit No. 15166

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED
JUN 11 1980
WATER RESOURCES DEPT
SALEM, OREGON

Coos County for Belloni Boys Ranch
(Name of Applicant)

of Coos County Courthouse, Coquille
(Mailing Address) (City)

State of Oregon, 97423 Phone No. 396-3121 ext. 225
(Zip Code)

do hereby make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Davis Creek

, a tributary of Davis Slough

2. The point of diversion is to be located 1065 ft. N. and 640 ft. W.
(N. or S.) (E. or W.)

from the SE 1/4 corner of Sec 32
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the SE 1/4 of the SE 1/4 of
Sec. 32 Tp. 26S R. 13W, W. M., in the county of Coos
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
26S	13W	32	NE 1/4 SE 1/4	Domestic, 1 ac.

4. The amount of water which the applicant intends to apply to beneficial use is 0.0175

cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is domestic (0.005cfs) irrigation (0.0125)

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

The water system consists of an infiltration gallery located two feet from Davis Creek whereby water is collected, pumped through 1.5" PVC from the gallery to a reservoir located on a rise approximately 400' away and is then gravity fed from the reservoir through 2.5" PVC to the Boys Ranch. The infiltration gallery consists of an oversized hole approximately 15' deep in which 3' diameter concrete tiles were placed. The annulus was backfilled with clean aggregate.

If for domestic use state number of families to be supplied One (see remarks)

7. Construction work will begin on or before Complete

8. Construction work will be completed on or before Complete

9. The water will be completely applied to the proposed use on or before In use

Application No. 60227

Permit No. 45166

Remarks: The Boys Ranch is maintained to provide care for up to 12 boys plus their counselors,

THIS APPLICATION PREPARED BY:

D. Scholtz, Coquille Field Office
FROM INFORMATION FURNISHED BY
THE APPLICANT.

John L. Rube
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

4

day of

June

19

80

at 11:00

o'clock

A.M.

Application No. 60227

Permit No. 45166

Application No. 60227

Permit No. 45166

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same **SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.018 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Davis Creek

The use to which this water is to be applied is domestic use of one family and irrigation; being 0.005 cfs for domestic and 0.013 cfs for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.


and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 4, 1980

Actual construction work shall begin on or before October 14, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 14th day of October, 1980


DEPUTY Water Resources Director