

Application No. 60485

Permit No. 45196

STATE OF OREGON WATER RESOURCES DEPARTMENT **RECEIVED**

Application for Permit to Appropriate Surface Water **AUG 12 1980**
 WATER RESOURCES DEPT
 SALEM, OREGON

I, ~~HAROLD~~ Lois M. Wilson
(Name of Applicant)

of 18728 S. Abiqua Rd NE, SILVERTON
(Mailing Address) (City)

State of OREGON, 97381 Phone No. 503-873-2488 do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is ABIQUA CREEK
 a tributary of Padding River - Willamette

2. The point of diversion is to be located 2620 ft. N. and 2030 ft. E.
(N. or S.) (E. or W.)
 from the S.W. corner of SEC. 34
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

ONLY ONE SOURCE

being within the NE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of
 Sec. 34 Tp. 6 S. R. 1 EAST, W. M., in the county of MARION
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
<u>6 So.</u>	<u>1 EAST</u>	<u>34</u>	<u>NE $\frac{1}{4}$ - SW $\frac{1}{4}$</u>	<u>2 ACRES</u>

4. The amount of water which the applicant intends to apply to beneficial use is 0.025

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

IRRIGATION OF

5. The use to which the water is to be applied is GARDEN & PLANT AREAS

~~EXISTING~~
& GRASS AREA

NEEDED BECAUSE WELL ISN'T SUFFICIENT FOR HOUSEHOLD & GARDEN COMBINED ! WELL PUMPS MAX. 5 GALS. PER MINUTE

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

① PUMP: ~~SIWP-4~~ ^{single phase} HORSEPOWER: ~~3 STAGE~~ = Brand name: Berkeley

② ~~Station with pump~~ ^(type) Synthetic - 5 HP - single phase
portable aluminum pipe & impact sprinklers
~~Pipe lines & impact sprinklers~~

If for domestic use state number of families to be supplied N/A

7. Construction work will begin on or before AS SOON AS WE RECEIVE THE PERMIT TO DO SO

8. Construction work will be completed on or before SEPT 1, 1980

9. The water will be completely applied to the proposed use on or before SEPT 21, 1980

Application No. 60485

Permit No. 45196

02/00

Remarks:

.....
.....
.....
.....
.....
.....
.....
.....

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

Lain M. Nelson
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

12th day of *AUGUST*, 19*80*, at *8:00* o'clock

A.M.

Application No. *60485*

Permit No. **45196**

45196

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.025 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Abiqua Creek

The use to which this water is to be applied is yard & garden irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 12, 1980

Actual construction work shall begin on or before November 26, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 26th day of November, 1980

James E. Seaman
Water Resources Director

PLA