## \*Permit No. 452

## APPLICATION FOR A PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

I.	B H Hathaway	·			
,		(Name of A	Applicant)		
of	Tillamook (Postoffice)	, <i>C</i>	County of	Tillamook	
αι	, ,	do h			
	of Oregon				nt to appropriate
the fo	llowing described public waters of	f the State of (	Oregon, suoj	ect to existing rights.	
If	the applicant is a corporation, g	rive date and p	place of inco	orporation	
	The source of the proposed app			(Name of stream)	,
2.	The amount of water which the	he applicant in	itends to ap	ply to beneficial use	is
one	-half cubic fact per second.				
3.	The use to which the water is to	be applied is			nining, manufacturing
	Domestic purpos	es	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	(garaen, persen, -	
	supplies, etc.)				
4.	The point of diversion is located	d N. 32° 28°		et from Section co	
ectio	ns 1 - 6 - 7 - and 12, said	. Township			
being	within the NE ½ SE ½ (Give smallest legal sut		f Sec	<u>1</u> , Tp	1 S
	(Give smallest legal substitution of the control of				
5.	The pipe line (main)	h, canal or pipe li	ne)	to be2	129.77 feet
miles	in length, terminating in the	$ \begin{array}{ccc} \text{NE} & \frac{1}{4} & \text{NE} & \frac{1}{4} \\ \text{(Smallest legal)} \end{array} $	0 subdivision)	f Sec. 12	Tp. 1 S
from	10 W , W. M., the proper 12" to "2" map				
6.	The name of the ditch, canal or	r other works	is		••••••
	Hathaway Pipe Line				
		Description			
Divers	sion Works—				
7.	(a) Height of dam3	feet, len	gth on top	20 feet,	length at botton
	12 feet; material to	be used and c	haracter of	construction	
masonry	Rock, concrete, timber				(Loose rock, concrete
	, room and brably timber erro, waste		,	·····	•
	(b) Description of headgate				
	(v) Description of headgate			c., number and size of open	

Canai	System—
8.	(a) Give dimensions at each point of canal where materially changed in size, stating miles from
headga	te. At headgate: Width on top (at water line)feet; width on bottom
•	feet; depth of waterfeet; gradefeet fall per 1000 feet.
	(b) Atmiles from headgate: Width on top (at water line)
	feet; width on bottom feet; depth of water
•	gradefeet fall per 1000 feet.
Irrigati	Fill in the Following Information Where the Water is Used for:
9.	The land to be irrigated has a total area ofacres, located in each
smalles	st legal subdivision, as follows:
••••••	(Give area of land in each smallest legal subdivision which you intend to irrigate)
	(Give area of land in each smallest legal subdivision which you intend to irrigate)
••••••	
	(If more space required, attach separate sheet)
Power	, Mining, Manufacturing or Transportation Purposes—
10.	(a) Total amount of power to be developedhorsepower.
	(b) Total fall to be utilizedfeet.
	(c) The nature of the works by means of which the power is to be developed
,	(d) Such works to be located in of Sec
Tn.	(Legal subdivision), R, W. M.
- r·	(No. N. or S.) (No. E. or W.)  (e) Is water to be returned to any stream?
	(Yes or No)
	(f) If so, name stream and locate point of return
	(g) The use to which the power is to be applied is
	(g) The use to which the power is to be applied is

11. To supply the city of	<u> </u>
(Name of) County, having a present	population ofand an estimated
epulation ofin 19	
,	
12. Estimated cost of proposed works, \$ 600.0	00
13. Construction work will begin on or before	on or before Jan. 1, 1911
14. Construction work will be completed on or	before on or before June 1, 1911
15. The water will be completely applied to the	proposed use on or before
	June 1, 1911
Duplicate maps of the proposed ditch or other	works, prepared in accordance with the rules of the
pard of Control, accompany this application.	
·	B. H. Hathaway  (Name of Applicant)
Signed in the presence of us as witnesses:	Tilloweels Owe son
(Name)	Tillamook, Oregon (Address of Witness)
?),	(A.3.2
(Name)	(Address of Witness)
Remarks:	
TATE OF OREGON,	
ss.	
County of Marion )	7. ( )
This is to certify that I have examined the forcaps and data, and return the same for correction	egoing application, together with the accompanying or completion, as follows:
In order to retain its priority, this applied	ation must be returned to the State Engineer, wit
orrections, on or before	, 19
WITNESS my hand thisday of	, 19

Application No. 1002

452

Permit No.

To appropriate the public waters of the State of Oregon  Division No. 1 District No.  This instrument was Best received in the office of the State Engineer at Sutem, Oregon, on the 7 day of Oct  19 10 at 8100 o'clock A.N.  Returned to applicate for correction  Corrected application received  Approved  Nov 17 1910  Recorded in Book No. 1 of Permits on Page 452  John H Lovis  8.00 State Engineer  STATE OF OREGON,  County of Marion  This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions:  The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed One half of one cubic feet per second.  Actual construction work shall begin on or before Nov. 17, 1911  and shall thereafter be prosecuted with reasonable diligence and be completed on or before Nov. 17, 1912  Complete application of the water to the proposed use shall be made on or before Nov. 17, 1912  WITNESS my hand this 17th day of Nov. 1910.  John E. Lewis		PERMIT		
This instrument was first received in the office of the State Engineer at Salem, Oregan, on the 7 day of Oct.  10 10 at 8:00 o'clock A.M.  Returned to application received  Approved  Nov 17 1910  Recorded in Book No. 1 of Permits on Page 452  John H Lewis  3.00 State Engineer  STATE OF OREGON,  County of Marion  This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions:  The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed One half of one cubic feet per second.  Actual construction work shall begin on or before.  Nev. 17, 1911  and shall thereafter be prosecuted with reasonable diligence and be completed on or before.  Nov. 17, 1912  Complete application of the water to the proposed use shall be made on or before.  Ecv. 17, 1912	/			
office of the State Engineer at Salem, Oregon, on the 7 day of Oct  19 10 at 8100 o'clock A.N. Returned to application received  Approved Nov 17 1910  Recorded in Book No. 1 of Permits on Page 452  John H Lewis  S.00 State Engineer  STATE OF OREGON, County of Marion  This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions:  The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed one half of one cubic feet per second. Actual construction work shall begin on or before.  Nov. 17. 1911  and shall thereafter be prosacuted with reasonable diligence and be completed on or before. Nov. 17, 1912  Complete application of the water to the proposed use shall be made on or before. Nov. 17, 1912  WITNESS my hand this 17th day of Nay. 1910		Division No. 1 Distri	ct No.	
on the 7 day of Oot  19 19 at 8:00 o'clock A.M. Returned to application received  Approved Nov 17 1910  Recorded in Book No. 1 of Permits on  Page 452  John H Lowis  8.00 State Engineer  STATE OF OREGON, County of Marion  This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions:  The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed One half of one cubic feet per second. Actual construction work shall begin on or before.  Roy. 17, 1911  and shall thereafter be prosecuted with reasonable diligence and be completed on or before.  Roy. 17, 1912  Complete application of the water to the proposed use shall be made on or before.  Koy. 17, 1912  WITNESS my hand this.  17th day of Roy, 1910				
Corrected applicant for correction    Corrected application received		7		
Approved Nov 17 1910  Recorded in Book No. 1 of Permits on Page 452  John H Lewis  8.00  State Engineer   STATE OF OREGON, County of Marion  This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions:  The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed One half of one cubic feet per second.  Actual construction work shall begin on or before.  Nov. 17. 1911  Complete application of the water to the proposed use shall be made on or before.  Nov. 17, 1912  WITNESS my hand this.  17th day of Xaya., 1910		,		
Nov 17 1910  Recorded in Book No. 1 of Permits on  Page 452  John H Lewis  S.00  State Engineer  STATE OF OREGON,  County of Marion  This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions:  The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed One half of one cubic feet per second.  Actual construction work shall begin on or before		Corrected application rece	eived	
Recorded in Book No. 1 of Permits on  Page 452  John H Lewis  S.00  State Engineer  STATE OF OREGON, County of Marion  This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions:  The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed one half of one cubic feet per second.  Actual construction work shall begin on or before.  Nov. 17. 1911  and shall thereafter be prosecuted with reasonable diligence and be completed on or before.  Nov. 17, 1912  Complete application of the water to the proposed use shall be made on or before.  Nov. 17, 1912  WITNESS my hand this.  17th day of Nov. 170. 1910.				
STATE OF OREGON, County of Marion  This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions:  The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed One half of one cubic feet per second.  Actual construction work shall begin on or before Nov. 17. 1911  and shall thereafter be prosecuted with reasonable diligence and be completed on or before Nov. 17, 1912  Complete application of the water to the proposed use shall be made on or before Nov. 17, 1912  WITNESS my hand this 17th day of Nov. 1910.		Recorded in Book No. 1	of Permits on	
STATE OF OREGON, County of Marion  This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions:  The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed one half of one cubic feet per second.  Actual construction work shall begin on or before				
This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions:  The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed One half of one cubic feet per second.  Actual construction work shall begin on or before			State Engineer	
This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions:  The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed One half of one cubic feet per second.  Actual construction work shall begin on or before				
This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions:  The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed one half of one cubic feet per second.  Actual construction work shall begin on or before	,	$\Big angle$ ss.		
The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed one half of one cubic feet per second.  Actual construction work shall begin on or before Nov. 17, 1911 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Nov. 17, 1912  Complete application of the water to the proposed use shall be made on or before Nov. 17, 1912  WITNESS my hand this 17th day of Nov. 17, 1910	- '	<b>)</b>		
The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed one half of one cubic feet per second.  Actual construction work shall begin on or before Nov. 17. 1911 Nov. 17, 1912  Complete application of the water to the proposed use shall be made on or before Nov. 17, 1912  WITNESS my hand this 17th day of Nov. 1910				
The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed one half of one cubic feet per second.  Actual construction work shall begin on or before Nov. 17. 1911  and shall thereafter be prosecuted with reasonable diligence and be completed on or before Nov. 17, 1912  Complete application of the water to the proposed use shall be made on or before Nov. 17, 1912  WITNESS my hand this 17th day of Nov. 1910.				
and shall thereafter be prosecuted with reasonable diligence and be completed on or before	The amount of water of	appropriated shall be limited to	the amount which o	
Complete application of the water to the proposed use shall be made on or before	Actual construction wor.	k shall begin on or before	Nov.	17, 1911
Complete application of the water to the proposed use shall be made on or before	and shall thereafter be pro	secuted with reasonable diligen		
WITNESS my hand this 17th day of Nov. , 1910	Complete application of	the water to the proposed use	e shall be made on	
				370 3030
	WITNESS mu hand thi	s 17th day of		