

Application No. 56920

Permit No. 45218

RECEIVED

DEC 12 1977

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to appropriate Surface Water

WATER RESOURCES DEPT  
SALEM, OREGON

I, Trenkel Farming & Livestock (Name of Applicant)

of Rt. 1, Box 390 (Mailing Address), Ontario (City)

State of Oregon (Zip Code), Phone No. 889-3554 do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is from the Blanton Drain and Harris Drain, a tributary of

2. The point of diversion is to be located 130 ft. North (N. or S.) and 550 ft. East (E. or W.) from the Southwest corner of Sec. 12, Twp 18 S., R. 46 E. W. M. (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the SW  $\frac{1}{4}$  of the SW  $\frac{1}{4}$  of Sec. 12 Twp. 18 S. R. 46 E., W. M., in the county of Malheur (N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
<del>T 18</del>	<del>46 E</del>	<del>11</del>	<del>NE <math>\frac{1}{4}</math> SE <math>\frac{1}{4}</math></del>	<del>.86 ac SUPPLEMENTAL</del>
"	"	"	SE $\frac{1}{4}$ SE $\frac{1}{4}$	38.0 ac Supplemental
"	"	12	NE $\frac{1}{4}$ SW $\frac{1}{4}$	11.9 ac PRIME
"	"	"	NW $\frac{1}{4}$ SW $\frac{1}{4}$	38.4 ac Supplemental
"	"	"	SW $\frac{1}{4}$ SW $\frac{1}{4}$	31.3 ac "
"	"	"	SE $\frac{1}{4}$ SW $\frac{1}{4}$	1.8 ac Prime
				117.4

4. The amount of water which the applicant intends to apply to beneficial use is 2.90

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is irrigation water

6. **DESCRIPTION OF WORKS**

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

15 hsp parma pump

If for domestic use state number of families to be supplied .....

7. Construction work will begin on or before.....

8. Construction work will be completed on or before.....

9. The water will be completely applied to the proposed use on or before..... has been used several years

Application No. 56920

Permit No. 45218

Remarks: Permission was granted to the previous owner, Jack Friest, by the  
Vale Oregon Warm Springs Irrigation District for construction of the pump  
on the drain. However, he apparently never applied for the water right.

Trenkel Farming and Livestock

Signature of Applicant

by Fred Trenkel V. P.

This is to certify that I have examined the foregoing application, together with the accompanying maps  
and data, and return the same for..... Correction and Completion and.....  
Additions

In order to retain its priority, this application must be returned to the Water Resources Director with  
corrections on or before July 5th, November 28, ~~19 79~~ 1980

WITNESS my hand this 31 July 1980  
~~5th~~ day of ~~March~~, 19 79

JAMES E. SEXSON Water Resources Director

By VESTAL R. GARNER

RECEIVED

AUG 11 1979

WATER RESOURCES DEPT  
SALEM, OREGON

RECEIVED

AUG 25 1980

WATER RESOURCES DEPT  
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the  
12th day of December, 19 77, at 8:00 o'clock  
A.M.

Application No. 56920

Permit No. 45218

Application No. 56920

Permit No. 45218

### Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.49 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Harris Drain

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein; and shall also be limited to the water available at the proposed point of diversion, and shall not carry with it the right to compel the continuance of the waste water.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 6, 1979

Actual construction work shall begin on or before November 26, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 26th day of November, 1980

*James E. Larson*  
Water Resources Director