

Application No. 60433

Permit No. 45252

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED JUL 31 1980 WATER RESOURCES DEPT SALEM, OREGON

I, Elaine Mancinelli (Name of Applicant)

of 309 N. M. Tle Rd., Myrtle Creek (Address) (City)

State of Oregon, 97457 Phone No. 803-6118 (Zip Code)

do hereby make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is unnamed stream, a tributary of North Myrtle

2. The point of diversion is to be located 760 ft. S and 540 ft. W (N. or S.) (E. or W.)

from the NE corner of S. 18 (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the NE 1/4 of the NE 1/4 of Sec. 18 Tp. 28S R. 3W, W. M., in the county of Douglas (N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Handwritten entries include 28S, 3W, 18, NE NE, SE NE, 11.0 ac, 17.0 ac, and 280.

4. The amount of water which the applicant intends to apply to beneficial use is 0.35

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is irrigation

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Water comes through a culvert (under the road) into a 55 GALLON BARREL TO WHICH A 1/4 INCH WHITE PIPE IS ATTACHED IN THE MIDDLE OF THE BARREL. THE WATER RUNS BY GRAVITY FLOW THROUGH THE PIPE INTO THE GARDEN AREA. ONCE IN THE GARDEN THE PIPE IS FITTED WITH 4 WATER SPIGOTS, FROM WHICH THE WATER FLOWS THROUGH GARDEN HOSES INTO SOAKER HOSES.

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before Completed

8. Construction work will be completed on or before Completed

9. The water will be completely applied to the proposed use on or before Completed

Application No. 60433

Permit No. 45252

Remark.....
.....
.....
.....
.....
.....
.....

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

x *Blaine Mancinelli*
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....
..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
21 day of *July*, 19*80*, at *8:00* o'clock
A.M.

Application No. 60433

Permit No. 15252

Application No. 60433

Permit No. 45252

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.35 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 31, 1980

Actual construction work shall begin on or before November 26, 1981 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 26th day of November, 1980

James E. Peterson
Water Resources Director