

Application No. 60104 Permit No. 45277

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED
AUG 18 1980
WATER RESOURCES DIV
SALEM, OREGON

I, JOSEPH J. ADAMS
(Name of Applicant)

of 24742 SW LADD HILL RD., SHERWOOD
(Mailing Address) (City)

State of OREGON, 97140 Phone No. 625-7329 do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is NEHALEM RIVER AND
RESERVOIR, a tributary of PACIFIC OCEAN

2. The point of diversion is to be located 930 ft. S and 825 ft. E
(N. or S.) (E. or W.)
 from the NW corner of NE 1/4 SW 1/4 SECTION 13
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the NE 1/4 1/4 of the SW 1/4 1/4 of
 Sec. 13 Tp. 4N R. 5W, W. M., in the county of COLUMBIA
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
4N	SW	13	NE 1/4 SW 1/4	* Recreation & Domestic

see letter 8-23-80 p. 2

4. The amount of water which the applicant intends to apply to beneficial use is ^x less than 1/80th cubic feet per second. ^x less than 3 gal. per minute, and then only intermittently in order to maintain water freshness. (If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is ^x Recreation and fire protection use of 1 family including irr. of less than 1/2 acre lawn & garden

1/80 cfs and Domestic 0.01 cfs see letter 8-23-80 DRG

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

x Pond will be approximately 75' x 150', slope 3' horizontal to 1' vertical. Fresh water will be fed intermittently to Pond from Nehalem River by means of an electric pump (1/2 h.p.), pumping 39 gals per minute @ 5' lift; 10# discharge pressure; max. pressure 20#, suction lift limit 20'. Once pond is filled, timing device will be used to assure fresh water supply. A vegetated earth spillway will be used for run-off during heavy rain with run-off water eventually being returned to river. A 1" pipe (underground) will lead from pump on river bank to pond (approx 125'). Suction from river will be by means of a flexible 1" hose. An electric wire w/ cut-off switch at house will activate pump, and a timer used for intermittent pumping.


Pond will be excavated with removed earth to form part of bank and rest as backfill around house site. A blanket of BENTONITE will be spread on pond bottom and sides to prevent seepage.

If for domestic use state number of families to be supplied ^{on} 1 see letter 8-23-80 DRG

- 7. Construction work will begin on or before OCT 1, 1981
- 8. Construction work will be completed on or before OCT 1, 1982
- 9. The water will be completely applied to the proposed use on or before OCT 1, 1983

Remarks:.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

X 
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

..... *Water Resources Director*

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
6th 18th DAY day of *August* *may ORB*, 19 *80*, at *11:00* o'clock
A M.

Application No. *60104*.....

Permit No. *45277*.....

45277

Application No. 60104

Permit No. 45277

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Nehalem River and reservoir to be constructed under application R-60103, Permit R- 8193 being 0.01 c.f.s from Nehalem River and reservoir for recreation and 0.01 c.f.s. from Nehalem River for domestic use.

The use to which this water is to be applied is recreation and domestic use for one family including irrigation of not to exceed 1/2 acre non-commercial lawn and garden.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 6, 1980 for 0.01 c.f.s, and August 23, 1980 for 0.01 c.f.s.

Actual construction work shall begin on or before January 5, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 5th day of January, 1981

[Signature]
Water Resources Director