

Application No. 60541

Permit No.

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED

AUG 26 1980

WATER RESOURCES DEPT SALEM, OREGON

I, Arthur H. Van Eaton (Name of Applicant)

of 717 E. 21st Place, The Dalles (Mailing Address) (City)

State of Oregon, 97058 (Zip Code) Phone No. 296-6541 do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is a spring

, a tributary of Fifteen Mile Creek

2. The point of diversion is currently located 930 ft. S. and 508 ft. West (N. or S.) (E. or W.)

from the E. 1/4 corner of Section 31, Tp. 2 N., R. 14 E. of Willamette Meridian (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the NE 1/4 of the SE 1/4 of Sec. 31, Tp. 2 N., R. 14 E., W. M., in the county of Wasco (N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Row 1: 2N, 14E, 31, NE 1/4 SE 1/4, Domestic and yard water for three existing residences.

4. The amount of water which the applicant intends to apply to beneficial use is0.025 c.f.s.....
cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied isDomestic and yard water for three
existing residences.....

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

An enclosed cistern, constructed of cement, is now located at the site of the spring. Its estimated measurements are 5x5x4 feet. According to a previous owner, there are two pipelines leaving the bottom of the cistern, one feeding the first of the three residences on the same piece of land on which the spring arises, while the other pipeline divides and supplies the remaining two residences on the same land with the other branch supplying the single residence on the adjoining land to the East. It is also understood that the larger line is a two inch line at its origin but is reduced to 3/4 inch at the two houses it supplies. The other line is smaller, probably one inch. I know of only one pump on either line which is approx. 3/4 hp. and is located on the branch of the two inch line supplying the house on the same land as that where the spring arises. The total length of pipe involved in both lines would appear to be less than 1000 feet. The overflow from the primary cistern is caught in a secondary resevoir which is used for yard irrigation through a separate pipe which leads to the main house on the land where the spring arises.

If for domestic use state number of families to be suppliedThree.....

- 7. Construction work will begin on or before.....Existing system.....
- 8. Construction work will be completed on or before....Existing system.....
- 9. The water will be completely applied to the proposed use on or before.....Existing system.....

Application No.60541.....

Permit No.45293.....

12345

Remarks: The water is said to have been tested within the last year for potability, and found acceptable.

Applicant is negotiating for the purchase of land on which the spring and three residences are located.

Maps are attached.

8-25-80

Arthur H. Van Eaton

Signature of Applicant

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

26 day of August, 1980, at 8:00 o'clock A.M.

Application No. 60541

Permit No. 45293

12503

Application No. 60541

Permit No. 45293

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring.

The use to which this water is to be applied is domestic use for three families including irrigation of not to exceed 1/2 acre lawn and non-commercial garden each.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 26, 1980

Actual construction work shall begin on or before January 5, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 5th day of January, 1981

James E. Larson
Water Resources Director