

74285 & 76285

COMMUNICATE ME!
By Deed

ASSIGNED, See Misc. Rec., Vol. 6 Page 1450

ASSIGNED, See Misc. Rec., Vol. 6 Page 984

ASSIGNED, See Misc. Rec., Vol. 6 Page 1450

6 Page 831-838

Application No. 54775

Permit No. 45304

ASSIGNED, See Misc. Rec., Vol. 6 Page 1002

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED
JAN 1 1980
WATER RESOURCES DEPT.

I, VALERIE M. STEADMAN BENNETT
(Name of Applicant)

of P.O. BOX 323 77 KEE LANE SHADY COVE
(Mailing Address) (City)

State of OREGON, 97539 Phone No. 878-2983 do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is HURD CREEK AND RESERVOIR
a tributary of ROGUE RIVER

2. The point of diversion is to be located 950' ft. NORTH and 90' ft. EAST
(N. or S.) (E. or W.)
from the QUARTER SECTION corner of COMMON TO SECTIONS 10 AND 11,
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the SW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of
Sec. 11 Tp. 33S R. 2E, W. M., in the county of JACKSON
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section		List use and/or number of acres to be irrigated
33S	2E	11	SW	NW	4 DOMESTIC WATER 8 ACRES IRRIG.
33S	2E	11	SE	NW	1 DOMESTIC WATER 1 $\frac{1}{10}$ ACRES IRRIG.
33S	2E	10	SE	NE	3 $\frac{1}{10}$ ACRES IRRIG.

4. The amount of water which the applicant intends to apply to beneficial use is 0.14
cubic feet per second. (0.01 CFS DOMESTIC 0.13 CFS IRRIG)
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is DOMESTIC AND IRRIGATION

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

From Hurd CREEK TO STORAGE Pond 6" PLASTIC PIPE
from STORAGE pond TO WATER SUPPLY 6" P.V.C. PIPE for FIRST 50'
Reduced TO 4" P.V.C. SCHULTE 125 INTERS. 4" CHECK VALVE & CONTAINERS
ALONG BACK OF PROPERTY LINE for APPROX 500' THEN Reduces TO 3"
P.V.C. SCHULTE 125 for 300' THEN Reduces DOWN TO 2" CLIPS 200 for
APPROX 500' - from Pond TO END OF PIPE LINE THERE IS APPROX 17'
Height difference THE PIPE IS HIGHER THEN Pond & WILL HAVE TO
Be SUCKED out of LINE. MAIN LINE HAS 5-1 1/4" TEE'S TO SUPPLY each
Lot. see ATTACHED sheet FOR DETAILED DRAWING.

If for domestic use state number of families to be supplied 5

7. Construction work will begin on or before Completed

8. Construction work will be completed on or before Completed

9. The water will be completely applied to the proposed use on or before October 1, 1982

Application No. 59775

Permit No. 45304

Remarks:

Valerie M. Steadman
Valerie M. Bennett Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before December 15,, 19..80.....

WITNESS my hand this 14..... day of..... October....., 1980.....

James E. Sexson Water Resources Director

By *Ronald R. Buell*
Donald R. Buell

RECEIVED
FEB 11 1980
WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED
NOV 6 1980
WATER RESOURCES DEPT
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the *11th* day of *February*, 19.. *80*, at *8:00* o'clock *A.* M.

Application No... *59775*

Permit No. **45304**

62004

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.14 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Hurd Creek and reservoir to be constructed under Application R-59776, Permit R-8201.

The use to which this water is to be applied is domestic use for five families and irrigation, being 0.01 c.f.s. for domestic and 0.13 c.f.s. for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 11, 1980.

Actual construction work shall begin on or before January 5, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982.

Extended to Oct. 1, 1984

Complete application of the water to the proposed use shall be made on or before October 1, 1983.

Extended to Oct. 1, 1984

WITNESS my hand this 5th day of January, 1981.

James E. Surin
Water Resources Director