

Application No. 60495

Permit No.

STATE OF OREGON WATER RESOURCES DEPARTMENT **RECEIVED**

Application for Permit to Appropriate Surface Water

AUG 15 1980

WATER RESOURCES DEPT
SALEM, OREGON

I, Cecil A. & Blanch Welzheimer

(Name of Applicant)

of Fairview Rt Box 2141

(Mailing Address)

Coquille

(City)

State of Ore.

(Zip Code)

Phone No. 572-2084

do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Bestul Cr. AND AN UNNAMED

STREAM

a tributary of

N. Fork Coquille R.

#1 1000

N

800

E

2. The point of diversion is to be located 2280 ft.

(N. or S.)

and 350 ft.

(E. or W.)

from the N 1/4 corner of Sec 15

(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the SW NE 1/4 of the SE NW 1/4 of

#1 10

Sec. # 15

Tp. 28S

(N. or S.)

R. 12W

(E. or W.)

, W. M., in the county of Coos

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
28S	12W	15	NW NE	2 ac 1 ft

4. The amount of water which the applicant intends to apply to beneficial use is 0.025

cubic feet per second. From with the unpaired stream as a primary source with any deficiency in supply to come from Bestal Co.
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is irrigation

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

POD

#2 gravity feed system through approx 1150' of PVC to holding tank then through pipe to sprinkler irrigation system

POD#1 gravity feed system through approx 2000' of PVC to sprinkler irrigation system

If for domestic use state number of families to be supplied N/A

7. Construction work will begin on or before Complete

8. Construction work will be completed on or before " "

9. The water will be completely applied to the proposed use on or before IN USE

Application No. 60495

Permit No. 45331

Remarks:.....
.....
.....
.....
.....
.....
.....

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

Cecil A. Welzheimer
Signature of Applicant
Blanch Welzheimer

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
15th day of *August*, 19*80*, at *11:00* o'clock
a.M.

Application No. *60495*

Permit No. **45331**

12345

Application No. 60495

Permit No. 45331

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.025 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream with any deficiency in the available supply from the unnamed stream to be made up by appropriation from Bestul Creek.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 15, 1980

Actual construction work shall begin on or before January 5, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 5th day of January, 1981

James E. Seymour
Water Resources Director