

Application No. 59759

Permit No. 45409

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED
FEB 5 1980
WATER RESOURCES DEPT.
SALEM, OREGON

I, Von & Nita Gardner (Name of Applicant)
of Box 324 B - So. Coos River RT., Coos Bay (Mailing Address) (City)
State of Oregon, 97420 (Zip Code) Phone No. 267-3428 do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is UNNAMED STREAM # 1 & UNNAMED STREAM # 2 AND Reservoir, a tributary of DANIELS CREEK

2. The point of diversion is to be located See Below ft. (N. or S.) and _____ ft. (E. or W.)
from the SW corner of Sec. 35 (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

POD #1 N 30° E @ 615' from SW Cor. Sec. 35 W/1/4 SW 1/4 SW 1/4
POD #2 Sec 35 T 25 S R 12 W — S 81° E @ 840' NW 1/4 NW 1/4
Sec 2 T 26 S - 12 W being within the _____ 1/4 of the _____ 1/4 of

Sec. _____ Tp. _____ R. _____ W. M., in the county of Coos
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section		List use and/or number of acres to be irrigated
			NE	NW	
T 26 S	R 12 W	35	SW - SW		0.3 AC Irrigation } Stream # 1
T 26 S	R 12 W	2	NW - NW		0.2 Irrigation } Stream # 1
-	-	-	-	-	2.5 Irrigation
T 25 S	-	35	SW - SW		1.5 Acres } Stream # 2
-	-	-	SE - SW		8.0 } AND Reservoir
					12.5

4. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second.....
unmanned stream #1 = 0.015 UNMANNED STREAM #2 = 0.150 (with any deficiency to come from reservoir)
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is
DAM 0.005 stock 0.005 (str #1)
IRRIGATION 0.150 (0.005 str #1 & 0.145 str #2 and rest)

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Gravity Flow ~~to~~ thru plastic pipe to outlets
Domestic system: 15' deep infiltration gallery constructed of 42" ϕ concrete till rings adjacent to stream. Water is pumped by 1/2 HP submersible pump through 3/4" ϕ PVC to the two houses, the barn, and any surplus will go to ponds.

Irrigation system: flood irrigation gravity flow from dam through plastic pipe to pasture.

If for domestic use state number of families to be supplied *2 - two*

7. Construction work will begin on or before *HAS BEGUN*

8. Construction work will be completed on or before *JAN 17 - 1982*

9. The water will be completely applied to the proposed use on or before *MAY 1 - 1983*

Application No. *59759*

Permit No. **45409**

Remarks:.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

Von Gardner
Signature of Applicant
* *Nita Gardner*

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....correction and completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or beforeDecember 15....., 19...80.....

WITNESS my hand this15..... day of.....October....., 19...80.....

.....James. E. Sexson..... Water Resources Director

By *Ronald R. Buell*
Donald R. Buell

RECEIVED
NOV 26 1980
WATER RESOURCES DEPT
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the *5th* day of *February*, 19...*80*..., at *11:00* o'clock *A.* M.

Application No...*59759*.....

Permit No.....**45409**.....

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.165 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed streams 1 and 2 and reservoir to be constructed under Application R-59758, Permit R-8215.

The use to which this water is to be applied is domestic use for two families, stock and irrigation being 0.005 c.f.s. each from unnamed stream 1 & 2 for domestic use and 0.15 from unnamed stream 2 and reservoir for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 5, 1980

Actual construction work shall begin on or before January 26, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 26th day of January, 1981

James E. Seaman
Water Resources Director