


Application No. 59952

Permit No. 45446

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water



I, Robert R. Lovie and Rose L. Lovie (Name of Applicant)

of 511 Sunny Vale St. Coos Bay (Mailing Address) (City)

State of Oregon, 97420 Phone No. 269-0100 (Zip Code)

do hereby make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Unnamed Stream, a tributary of Isthmus Slough

2. The point of diversion is to be located 360 ft. S and 215 ft. W from the NE 1/16 corner of NW 1/4 NE 1/4 within NW 1/4 NE 1/4 of Sect. 11 Twp. 26S. Rge. 13 W. in the county of Coos.

being within the NW 1/4 of the NE 1/4 of Sec. 11 Twp. 26S. R. 13 W., W. M., in the county of Coos.

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Row 1: 26S, 13W, 11, NW 1/4 NE 1/4, domestic use, and irrigation. Handwritten note: we do not intend to exceed 1/2 acre for irrigation.

4. The amount of water which the applicant intends to apply to beneficial use is 0.013

cubic feet per second. dom. 0.005, irr. 0.0125

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is ...dom... 0.005... irr... 0.0125

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Concrete tile infiltration system. We have a 1/2 H.P. utility pump at the start which connects to a plastic pipeline which runs aprx. 360' to our house and sprinkler system. The sprinkler system is buried in the yard sprinkler heads which work on a timer. The house water is used for the dishwasher & wash machine.

If for domestic use state number of families to be suppliedone.....

7. Construction work will begin on or before....complete.....

8. Construction work will be completed on or before.....complete.....

9. The water will be completely applied to the proposed use on or before.....In Use.....

Application No.59952.....

Permit No.45446.....

Remarks:.....

.....
.....
.....
.....
.....
.....
.....
.....
.....

Robert R. Javis
Signature of Applicant

Rose J. Javis

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... correction and completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before January 21....., 1981.....

WITNESS my hand this 21..... day of..... November....., 19 80.....

James E. Sexson..... Water Resources Director

By *Wayne J. Overcash*
Wayne J. Overcash

RECEIVED
JAN 23 1981
WATER RESOURCES DEPT
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

9th day of *April*, 19 *80*, at *11:00* o'clock

A M.

Application No. *59952*

Permit No. *45446*

Application No.

59952

Permit No.

45446

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same *SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD* and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.013 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from ... an unnamed stream.

The use to which this water is to be applied is ... domestic use for one family and irrigation. being 0.005 cfs for domestic and 0.01 cfs for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated ... and shall be further limited to a diversion of not ... to exceed 2 1/2 acre-feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 23, 1981

Actual construction work shall begin on or before February 10, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 10th day of February , 1981

James E. Larson
Water Resources Director