

Application No. 60080

Permit No. 45447

**STATE OF OREGON WATER RESOURCES DEPARTMENT**

**Application for Permit to appropriate Surface Water**

I, JOHN F. GRIFFITH  
(Name of Applicant)

of 1400 THE POINT ROUTE BOX 12, BROADBENT  
(Mailing Address) (City)

State of OREGON, 97414 Phone No. 572-5510 do hereby  
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is WARNER CREEK  
a tributary of SOUTH FORK Coquille

2. The point of diversion is to be located 15.10 ft. 5 and 16.40 ft. W  
(N. or S.) (E. or W.)  
from the NE corner of Sec 34  
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the SW  $\frac{1}{4}$  of the NE  $\frac{1}{4}$   $\frac{1}{4}$  of  
Sec. 34 Tp. 29 S. R. 12 W., W. M., in the county of COOS  
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
<u>T29S</u>	<u>12W</u>	<u>SEC 33</u>	<u>NE <math>\frac{1}{4}</math> NE <math>\frac{1}{4}</math></u>	<u>Dom. USE To include UP TO <math>\frac{1}{2}</math> ACRE OF LAWN &amp; GARDEN IRRIGATION</u>

Form 690-1-0-1-77  
 BEG. N.E. Corner of West  $\frac{1}{2}$  of the N.E  $\frac{1}{4}$  of the N.E  $\frac{1}{4}$  of Sec. 33, Township 29 S., Range 12 West of Willamette meridian, Coos County Oregon; West 430' S. 255' East 420' 255' North to beginning

4. The amount of water which the applicant intends to apply to beneficial use is 0.01

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is DOM USE To include  
UP TO 1/2 ACRE LAWN AND GARDEN IRRIGATION

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

4000  
2800 FT OF 1/2" PVC plastic Pipe, gravity Flow  
DIVERSION DAM IS 3' wide & 18" High, made of Rock  
& mud. Type of irrigation in garden hose and  
LAWN SPRINKLER

If for domestic use state number of families to be supplied..... ONE

7. Construction work will begin on or before..... COMPLETE

8. Construction work will be completed on or before..... COMPLETE

9. The water will be completely applied to the proposed use on or before..... IN USE

Application No. 60080

Permit No. 45447

Remarks:.....

.....  
.....  
.....  
.....  
.....  
.....  
.....

7 *John F. Griffith*  
Signature of Applicant  
*William Griffith*

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... correction and completion.

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before..... March 6, 1981..... ~~February 11, 1981~~

WITNESS my hand this..... 6..... day of..... January..... 1981  
~~11th~~..... ~~December~~..... ~~1980~~

JAMES E. SEXSON Water Resources Director

By *Wayne J. Overcash*  
Wayne J. Overcash

RECEIVED  
JAN 13 1981  
WATER RESOURCES DEPT  
SALEM, OREGON  
RECEIVED  
DEC 17 1980  
WATER RESOURCES DEPT  
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the..... <sup>25<sup>th</sup></sup> day of..... April....., 19..... 80....., at..... 11:00..... o'clock  
..... A.M.

Application No..... 60080.....

Permit No..... 45447.....

52415

Application No. 60080

Permit No. 45447

### Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Warner Creek

The use to which this water is to be applied is domestic use for one family including the irrigation of not to exceed 1/2 acre lawn and non-commercial garden.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 25, 1980

Actual construction work shall begin on or before February 10, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 10th day of February, 1981

James E. Seaman  
Water Resources Director

FILE 5